

DESCRIPTION	MEAS	QTY ON HAND
RACK SHELVES	EACH	1
NOZZLE SPRAY 1/4" NPT 45 DEGREE	EACH	1
COUPLING, CLOSE 1-1/8" BORE TYPE 5J	EACH	1
KIT, REPAIR 1" BALL VALVE APOLLO-CONBRACO	EACH	2
STRAINER, "Y" 1"	EACH	1
OPERATOR, SWITCH 3 POSITION MANUAL STANDARD KNOB BLACK	EACH	1
GAUGE, PRESSURE 0-30 PSI FISHER	EACH	1
FEEDER, ATLAS GRAVITY OIL FEEDER	EACH	4
KIT, REBUILD AIR END PUMP WARREN-RUPP 476-100-000	KIT	1
BRAKE CHAMBER, DDYR END BOARD CYLINDER BENDIX	EACH	4
BUSHING, DWG # 1-1-3111-K (REV 2) FOR PENDULUM FEED PIPE BEARING	EACH	2
BUSHING, DWG # 1-1-8806 (REV 2) FOR PENDULUM FEED SHAFT END BEARING	EACH	2
KIT, CARBON SEAL REPAIR JOHNSON #18881165 BRA DRUM DRYER	EACH	2
SWITCH, LIMIT ARTICULATE & OPEN/CLOSE	EACH	1
RELAY, SPDT 120VAC, 26K	EACH	1
CONTROLLER, PNEUMATIC FOXBORO MODEL 43AP-F-A4-2-C-PC	EACH	2
PLATE, SPRING OUTER BRONZE P/N B-15861	EACH	2
CALIBRATOR, MILLI-AMP	EACH	1
PUNCH	EACH	1
PUNCH	EACH	1
BEARING, PILLOWBLOCK 2-15/16" SHAFT	EACH	2
CALIBRATOR, FLUKE RTD MODEL 712	EACH	1
BEARING, ROTOR FLOW FEEDER 12 X 12 HD	EACH	2
STRAINER, Y 1.0" CARBON STEEL NPT	EACH	3
BUSHING, BRONZE MAIN BEARING DRUM DRYER BTC # 77532293	EACH	1
IMPELLER, REGENERATIVE MTH PUMP P/N: 11	EACH	1
KIT, WETTED END	EACH	1
DISC,	EACH	1
GASKET, SIGHT-GLASS JERGUSON	EACH	1
TRANSFORMER, POTTED JERGUSON V-18996	EACH	1
VALVE, DIAPHRAGM WEIR 3"150# FLANGED ITT P/N 3-2425R-TM-903	EACH	1
COCK GAUGE COMPRESSED 1/2"TELFON SEAT CHAIN OPERATED CONBRACO P/N 26-504-01	EACH	1
SCREW, ADJUSTING STEEL P/N B-15863	EACH	1
CLIP, ROTOR 7/16 OD	EACH	10
CLIP, ROTOR TOOL FOR 21/64 OD	EACH	10
CLIP, ROTOR TOOL FOR 3/8 OD	EACH	10
TOOL, EONC, FOR PULLING BEARINGS	EACH	3
CORDS, POWER CORDS FOR SALAMANDER HEATERS 25'	EACH	5
ENVELOPE, BUSINESS WINDOW ENVELOPES SIZE 10(4 1/8 X 9 1/2")	BOX	6
SCREWDRIVER, OFFSET	EACH	12
SCREWDRIVER, OFFSET	EACH	14
RULER, FOLDING 2-WAY READING	EACH	15
METER, GROUND AEMC MODEL 3640 3-POINT	EACH	1
PUNCH, KNOCKOUT 1/2" X 2"	EACH	2
DISPENSER,METAL FOLDED TOWEL	EACH	1

PAPER, COMPUTER, SPARCO BRAND	CASE	5
DISPENSER, BOTTLE TOP 10ML	EACH	1
PLIERS,SNAP RING	EACH	5
CABLE, RG-58U	EACH	1
4-PORT VALVE ASSEMBLY	EACH	1
VALVE, GAS S VALVE 73CI RGNT G1999-80401	EACH	1
CART, BOTTLE, ANOTHONY MN# 94LFW16S	EACH	2
BLIND,CHAIR AMERISTEP P/N XH-228232	EACH	12
DUCTWORK, TEE'S, 12"	EA	2
EARMUFFS, BILSOM 728 FOR USE WITH V GUARD HARD HAT (48714)	EACH	8
GLOVE,11" LOW VOLTAGE 500 V CLOO SIZE 9	BOX	1
TIP, COMBITIP FOR MULTIPETE (XSTREAM), 25ML CASE OF100	CASE	1
GLOVE, 11" LOW VOLTAGE 500VAC, SIZE 10	PAIR	4
GLOVE, 11" LOW VOLTAGE 500VAC, SIZE 11	PAIR	6
GLOVE, 11" LOW VOLTAGE 500VAC, SIZE 12	PAIR	5
WHEEL, FLAPPER 80 GRIT 3 X 1/2"	BOX	5
WHEEL, GRINDING 7 X 1/4 X 5/8	EACH	61
WHEEL, FLAPPER 60 GRIT 3 X 1/2"	BOX	2
LATCH, DOOR SS	EACH	1
GASKET, FLANGE 4" FULL FACE RED RUBBER	EA	1
DISC, GRINDING NORZON PLUS	BOX	13
DEVICE, LOCKOUT BALL VALE RED	EACH	16
THERMOMETER,FULL SCALE +/-0.5 C. LCD READOUT.NIST TRACEABLE	EACH	1
FILTER, EXTENDED SURFACE 12 X 24 X 12	EACH	4
HOUSING, BH-L FOR LABOUR PUMPS P/N 0011-000702-040/BH-L	EACH	1
LINESET, SPLIT SYSTEM AIR CONDITIONER, 30 FEET, MR. SLIM MPLS385812T-30	EACH	1
FILTER, BAG POLYPROPYLENE 600 MICRON	EACH	74
VALVE,CONTROL 1" W/ACTUATOR APOLLO	EACH	2
ACTUATOR, ITT TORK PAK #12-SR40 FOR CAMTITE BELLOWSEAL BALL VALVE	EACH	2
SO CORD, #8 AWG/4 CONDUCTOR, 600V RATED	FT	100
CABLE, ROMEX, 10-2, WG, NON-METALLIC, 425 PER ROLL	FT	150
BEARING SPHERICAL ROLLER DRILLED AND TAPPED WA3979	SET	2
TERMINAL,RING 16-14 #10	PKG	3
TERMINAL,RING 16-14 #6	PKG	3
TERMINAL,RING 16-14 1/4"	PKG	3
TERMINAL,RING 12-10 #10	PKG	3
TERMINAL, RING 12-10 #8	PKG	3
TERMINAL, RING 12-10 #6	PKG	3
TERMINAL,RING 12-10 1/4"	PKG	3
HOOK, S, 0.0105 INCH DIAMETER, 1 INCH LENGTH	PKG	1
BUSHING, CONDUIT REDUCER, 1"X3/4" THREADED STEEL	EA	200
BREAKER, 20 AMP, 1-POLE TYPE QP, 120/240 VOLT AC	EACH	4
PLUG, P/N 39184510.	EACH	1
RING, TERMINAL 18-14 GA WIRE #10 SCREW VINYL INSULATED T&B STA-KON 14RB-10X	PKG	2
VALVE, BALL 1/2" STRAIGHT THREAD O-RING PORTS	EA	4
CONNECTOR, WIRE, WAGO # 222-413	EA	100
BREAKER, 50A, 2-P, 120/240V, SIEMENS ITE -CIRCUIT	EACH	2

CONNECTOR, WIRE, WAGO # 773-162	EA	100
CONNECTOR, WIRE, WAGO # 773-112	EA	100
CONNECTOR, WIRE, WAGO # 773-164	EA	98
CONNECTOR, WIRE, WAGO # 773-124	EA	100
CONNECTOR, WIRE, WAGO # 773-114	EA	100
CONNECTOR, WIRE, WAGO # 773-166	EA	100
CONNECTOR, WIRE, WAGO # 773-116	EA	100
CONNECTOR, WIRE, WAGO # 773-168	EA	100
CONNECTOR, WIRE, WAGO # 773-173	EA	100
VALVE, 1" CHECK, PISTON STL BUTTWELD XS STD PORT CL150 - SEE ATTACHED	EACH	4
MEYERS HUBS, 1/2"	EA	49
VALVE, BALL 1-1/4" STRAIGHT THREAD O-RING PORTS	EA	4
SEAL, MECHANICAL LARGE BORE 4610 CARTRIDGE WITH HARD FACES P/N 81737003	EACH	3
TUBING,PVC, CHEMICAL-RESISTANT CLEAR,3/8"ID 7/8"OD 1/4" THK.	FT	150
VINYL, TRAFFIC GRAY, 30" X 50 YDS	ROLL	2
KEYSTOCK, 1/2" SQUARE C1018 GROUND 3' LONG PIECE	PC	3
KIT, COMPLETE REPAIR 1/2" BERTREM BALL VALVE MODEL BPO5-1050TG	EACH	6
INDICATOR, FLOWMETER 0-5 GPM, UFM P/N WP-5GM-4L-A54XR-ST-T	EACH	2
SWITCH, LIMIT CONBRACO CONFIGURATION QZP2PB2DSS P/N 3RLS217	EACH	5
VALVE, BALL 3/4" 1000# WOG, STEEL W/SS BALL AND STEM, SW X SCR D	EACH	10
COVER, 1-1/2" - 1-1/4" OZ GEDNEY STEEL	EACH	1
GAUGE, PRESSURE COMPOUND -30" HG-0-60 PSI ASHCROFT P/N 45-1009 (023-PI-936)	EACH	3
RECEPTACLE, FEMALE, L1630R, 480V 30A	EA	98
RODS, BACKER, 7/8"	EACH	3
VALVE, 3"BERTREM REDUCED PORT BALL VALVE	EACH	2
VALVE, 4" BERTREM REDUCED PORT VALVE	EACH	2
ASSEMBLY, SUPPORT PLATE, 3/8", ASTM B575, C-276 HASTELLOY	EA	9
VALVE, W/MICRO SWITCH 120/60 VAC 67AFR & 2" PIPE STAND MTG	EACH	1
VALVE, W/MICRO SWITCH 120/60 VAC 67AFR & 2" PIPE STAND MTG	EACH	1
VALVE, W/MICRO SWITCH 120/60 VAC 67AFR & 2" PIPE STAND MTG	EACH	1
VALVE, W/MICRO SWITCH 120/60 VAC 67AFR & 2" PIPE STAND MTG	EACH	1
VALVE, 3/4" CS MODEL SA202-317	EACH	2
VALVE, CONTROL SELF REGULATING	EACH	5
VALVE, W/LIMIT SWITCH 101A & B	EACH	1
VALVE, W/LIMIT SWITCH 102A & B	EACH	1
VALVE, W/LIMIT SWITCH 103A & B	EACH	1
VALVE, W/LIMIT SWITCH 110A & B	EACH	1
VALVE, W/LIMIT SWITCH 111A & B	EACH	1
VALVE, W/LIMIT SWITCH 112A & B	EACH	1
VALVE, BALL W/LEVEL SWITCH	EACH	1
VALVE, BALL ASSEMBLY 1-1/2" WITH PNEUMATIC ACTUATOR	EACH	1
NUT, LOCKING NUT TO FIT LINE ITEM 1 (5/16" - 24 UNF)	EA	23
CONTROLLER, DC BRAKE MODULE	EA	1
FALNGE, THREADED, 1" 150#, ASTM A105, RAISED FACE, (125/250 AARH)	EACH	10
COVER, THERMOSTAT, PLASTIC SECURITY	EACH	4
DESSICANT, SILICA GEL, PKG=2 EACH	PKG	6
PANEL, REMOTE ALARM 120VAC 1-POINT ALARM W/HORN - DCN06-0346	EACH	2

BELT, CONVEYOR OPEN ENDED FLAT SBR RUBBER 6" W X .14" TK MCMASTER 5753K414	FT	40
REGULATOR,PRESSURE,FISHER CONTROLS,TYPE 67CFR-N227	EACH	4
VALVE, ASCO CAT. NO. 8342G720 120/60	EA	3
SENSOR, PROXIMITY TURCK BI10-P30-AP6X2 W/B2141 CONNECTOR	EACH	4
SWITCH, 3-POSITION ELECTRICAL SQUARE D 9001-SKS53FBH2	EACH	3
CONDUIT, 2" CLOSE NIPPLE GALV.	EACH	45
BUSHING, REDUCING, 1 1/2"X 1", BRAND APPLETON	EACH	30
BUSHING, REDUCING, 2"X3/4", BRAND APPLETON	EACH	45
REDUCER, BELL, 1"X 3/4", BRAND APPLETON	EACH	25
REDUCER, BELL, 2"X3/4", BRAND APPLETON,	EACH	25
REDUCER, BELL, 2"X1 1/2", BRAND APPLETON	EACH	16
COVER, F/2RCPT, RS8, STL-CTY	EACH	15
CONNECTOR, FLEX, 1/2 45D INS L/T, T&B 5342	EACH	20
SWITCH, 3-POSITION ELECTRICAL SQUARE D 9001-SKS43BH13	EACH	2
HOSE, FLEX 1" ID X 18" LG 316 SS W/FLANGES AGENT TO LV-14 BURNER LIC FURNAC	EACH	4
THERMOMETER,BIMETAL 3" DIAL 2 1/2" STEM 20-240F 1/2NPT P/N B836-02-05	EA	6
FLOAT,SWITCH LIQUID LEVEL,MODEL LS600	EACH	1
HOSE, FLEX 3/4" ID X 18" LG TEFLON NPT ENDS ATOM AIR TO LV-14 BURNER LIC FU	EACH	4
WIRE, HARNESS, CONTROL POWER	EACH	1
ROD, LIFT	EACH	1
ROD, HOLLOW 3-1/2" OD X 2-1/2" ID POLYETHYLENE UHMW MCMASTER 8705K83	EACH	3
SWITCH, PRESSURE 0-100 PSIG RANGE ASHCROFT B750B-X07	EACH	3
HOSE, YELLOW, W/QUICK DISCONNECT COUPLINGS	EACH	2
PLUG, INFLATABLE, 22" DIA, HEAVY-DUTY POLYESTER COVER	EACH	2
FILTER ELEMENT,CARTRIDGE,POLYPROPYLENE,1-MICRON	EACH	15
FILTER ELEMENT,BAG,POLYPROPYLENE,1-MICRON	EACH	15
KIT, HARDWARE, FSI FILTER ASSEMBLY FSPN-40 #6	KIT	2
SUCTION TUBE ASSEMBLY	EA	2
GAUGE, PRESSURE 0-60 PSI 3/4" 150LB RFSF WEKSLER AA442	EACH	2
GAUGE, PRESSURE 0-30 IN HG 1" 150LB RFSF WEKSLER AA442	EACH	3
VALVE, SOLENOID 3/4" NPT 316 SS ATKOMATIC 31830-200PCAA1WP	EACH	4
LENS FOR STROBE LIGHT ON LPC-TANK-9001	EACH	1
TRANSMITTER, FLOW INDICATOR ROSEMOUNT	EACH	2
SENSOR, TEMPERATURE RTD P/N RWA723052T110	EACH	2
STRAINER, 2" FLANGE, 3/8" DIA. HOLES IN 7" DIA. ROUND BTM, HAST C	EACH	1
STRAINER, 2" FLANGE, 1/4" DIA. HOLES IN 7" DIA. ROUND BTM, HAST C	EACH	1
COUPLING, SHAFT FLEXIBLE SPACER #3JE-1/2X5/8	EACH	4
SWITCH, PRESSURE 12-100 PSI SOR 6NN-K3-N3-C2A-YY-TT LIC ATOMIZING AIR	EACH	2
SWITCH, PRESSURE 0.5-6.0 PSI SOR 12NN-KK4-M2-C2A-YY-TT LIC ATOMIZING AIR	EACH	2
REGULATOR, PRESSURE AIR 1" NPT 13-30 PSIG FISHER # 95L-24 WT12 OPTION	EACH	2
FUSE,FRN-R-70, 250V	EACH	6
BATTERY, PART # 0922-0560, BANNANA PLUG BATTERY.	EA	22
TUBING, CUSTOM INSULATED BUNDLE,1.68" DIA.,92'FT,REMNANT GREEN	FT	92
HOSE,CHEMICAL 1-1/2" ID. GOODYEAR BROWN FLEXWING	FT	70
CABINET,FILE 2 DRAWER HON 512P-Q L.GRAY	EACH	2
CONDUCTIVITY STANDARD SOLUTION, CODE: L905.1000 (575 MICROMHOS AT 25 DEG C)	BOT	2
MOTOR, 1.5 HP 480V 182T FRAME	EACH	1

MOTOR, 1.0 HP 1140 RPM 145T FRAME MODEL 305MCP3582T-4	EACH	1
MOTOR, 1/2 HP 1725 RPM	EACH	4
SWITCH, LEVEL MAGNETIC	EACH	6
PROBE, 72" LONG MONEL SUMP LEVEL SWITCH	EACH	4
VALVE, PRESSURE CONTROL	EACH	2
GASKET, FLANGE 3/4", GYLON 3545, FF, 1/8" THK, 150-LB	EACH	4
GASKET, FLANGE 1-1/2", GYLON 3545, FF, 1/8" THK, 150-LB	EACH	13
GASKET, FLANGE 2", GYLON 3545, FF, 1/8" THK, 150-LB	EACH	24
GASKET, FLANGE 4", GYLON 3545, FF, 1/8" THK, 150-LB	EACH	4
GASKET, FLANGE, 1", GYLON 3545, FLAT FACE, 1/8" THICK, CLASS 150#	EACH	40
GASKET, FILTER COVER BDS	EACH	48
GASKET, 2 1/2" 150# SPIRAL WOUND	EACH	23
GASKET, COVER GP-CYLINDER BLOCK	EACH	5
GASKET, 3" SPIRAL WOUND 304-SS PTFE ASME B-16.20 150# 3/16" THIC	EACH	18
GASKET, 1" FULL FACE TEFLON ENVELOPE 1/8" THICK	EACH	43
GASKET, IMPELLER NCL PUMP 101/104	EACH	3
GASKET, IMPELLER LABOUR PUMP PICK #209	EACH	3
GASKET, P/N V124604X022	EACH	1
FLUID LAYOUT	EACH	6
BATTERY CHARGER, 8010-7000, THREE PLACE.	EA	5
WINDSOCK, FRAME	EACH	2
SLEEVE, CRANE MODEL 2100 P/N D000-031-012	EACH	9
PRE-AMPLIFIER, PH SENSOR	EACH	15
STUB END, 1" THREADED WITH SLIP-ON OR LAP FLANGE ASTM A105 150#	EACH	10
SWITCH, RLX1H ETHERNET - US	EACH	2
BASKET, FILTER BAG BDS	EACH	4
ELBOW, 45 DEG, 1" PTFE LINED (CRANE-RESISTOFLEX)	EACH	5
ELBOW, 90 DEG. 1" PTFE LINED (CRANE RESISTOFLEX)	EACH	15
TEE, 1" PTFE LINED (CRANE-RESISTOFLEX)	EACH	5
STUB, END, 1" THREADED ASTM A105	EACH	10
ELBOW, 90-DEGREE, LINED, DI, TFE, CL. 150 MOLDED, RAISED FACE,	EACH	7
VALVE, GATE, 1/2", PER CV212 DATA SHEET	EACH	2
VALVE, GATE, 3/4", PER CV212 DATA SHEET	EACH	2
VALVE, GATE, 1", FLOW SERVE MODEL NUMBER 12111	EACH	5
SWITCH, TOGGLE	EACH	3
VALVE, 1-1/2" TOP ENTRY, CARBON STEEL BODY, 316SS TRIM, 150 FLANGED	EACH	2
VALVE, 2" TOP ENTRY, CS BODY, 316SS TRIM, 150# FLANGED	EACH	2
SHIM SET, BEARING FOR LABOUR PUMPS P/N 0061-00353-056.005	EACH	25
DEFLECTOR, NEOPRENE FOR LABOUR PUMPS P/N 222	EACH	2
OILER, CONSTANT LEVEL FOR LABOUR PUMPS P/N 0072-000113-000	EACH	3
BEARING, OUTBOARD FOR LABOUR PUMPS P/N 0015-000533-056	EACH	3
SHAFT, FOR LABOUR PUMP P/N SH-LO-SL-1	EACH	1
LIDS FOR 64 OZ CLEAR PLASTIC JARS 250/CS	CASE	4
MAT, HARD-FLOOR STRAIGHT MAT 46" X 60"	EACH	2
BAR, ROUND 1/2" X 20' LOW CARBON STEEL PER ASTM A36	EACH	1
PUNCH, PAPER 2 HOLE	EACH	1
FILE, ROLODEX COVERED	EACH	1

SHAFT, W/ HOLE, P/N 3041-43-M-6001	EACH	1
SENSOR, DIFFUSED P/N 704003	EACH	4
VALVE,3-WAY SOLENOID R F MAC DONALD SERIES 56C	EACH	1
SENSOR, NAMCO EE210-38640	EACH	1
LABEL, TAMPER EVIDENT 5/8" X 4"	PKG	43
KIT, REPAIR GLAND CARTRIDGE HYD. CYLINDER PARKER HANNIFIN P/N RG2AHL0175	EACH	1
SWITCH, TEMPERATURE 360 DEG F REMOTE MOUNT ITT NEO-DYN SERIES	EACH	3
SENSOR, NAMCO EE210-38740	EACH	1
SENSOR, NAMCO	EACH	1
VALVE, SWING CHECK 1/2"	EACH	1
REGULATOR, PRESSURE FISHER TYPE R622	EACH	1
JOINT, SWIVEL, 3" NPT, 1000 PSI MPF, FOR MPF EX	EA	2
ENCODER, BEI P/N 924-01002-9775	EACH	1
CLAMP, DESTACO P/N G-122/45	EA	1
VALVE, PRESSURE RELIEF 165 PSIG INGERSOLL RAND	EACH	1
GAUGE,PRESSURE,WIKA,2000PSI,#9833493	EACH	10
GAUGE,PRESSURE,WIKA,3000PSI,#9833485	EACH	5
GAUGE,PRESSURE,WIKA,5000PSI,#9768602-0006	EACH	1
ENCODER, OPTICAL ALLEN-BRADLEY 845H-SJDZ23CMY1C	EACH	1
SWITCH, PN EE210-31340	EACH	1
RELAY, DC12V, IDEC A1509 RH3B-UL	EACH	4
RELAY, DC24V, IDEC A151530 RH3B-UL	EACH	4
MODULE, VERY HIGH SPEED, A/B 1771VHSC	EACH	2
VALVE, PLUG 2" MUELLER #324 JLF 10 SPEC AC CV155	EACH	1
SENSOR, PROXIMITY, W/B2141 CONNECTOR,TURCK #B15-P18SK-AP6X2.	EACH	1
GAUGE, PRESSURE 0-10000 PSI DRILLCO STUD TENSIONER	EACH	1
HOSE, ASSEMBLY, 2" W/BALL VALVE	EACH	1
PLATE, COVER SINGLE GANG TP1I	EACH	8
BOX, CONDUIT 4" SQUARE METAL OUTLET	EACH	18
COVER, 4" JUNCTION BOX FLAT	EACH	50
SWITCH, 4" SQUARE 3/4" DEEP RING SWITCH	EACH	12
COVER, ROUND LAMPHOLDER W/1, 1/2" HUB	EACH	4
BOX, CONDUIT 4" ROUND WEATHER PROOF	EACH	3
COVER, 4" WEATHER PROOF - DUAL	EACH	6
SWITCH, PUSH, MOMENTARY, SPST, 16/10A FOR ECF TURNSTILE	EA	6
MODULE, MATH, AVERAGING, ACROMAG	EA	2
BALL SEAT, 1" BALL VALVE FOR PUMPS 115950	EACH	5
KIT, WET END FOR CRANE PUMP MODEL 2102	EACH	6
KIT, BRACKET SERVICE P/N D476-100-000	EACH	2
KIT, AIR END SERVICE FORCRANE PUMP 2102	EACH	8
KIT, SEALS & GASKET SERVICE	EACH	5
KIT, WET END WARREN RUPP 476-034-635	EACH	1
KIT, WET-END WARREN RUPP MODEL SB1-A P/N 476-052-635	EACH	1
KIT, WET END CRANE MODEL 2100 P/N D000-034-008	EACH	4
EXTENSION, CHARGE ASSEMBLY	EACH	3
RING, SEAL P/N 675-040-360	EACH	10
SEAL, PRESSURE TRANSMITTER	EACH	2

SEAL, COVER P/N 02-08-7342	EACH	10
SEAL, BASKET P/N 02-08-5899	EACH	10
SEAL, DIAPHRAGM P/N W24B2-2812	EACH	1
SEAL, OUTBRD BRG LABOUR PUMP P#235	EACH	4
SEAL, OIL INBRD, LABOUR PUMP PICK #224	EACH	4
SEAL, OIL INBOARD NCL PUMP 101/104	EACH	2
SEAL, MOTOR SHAFT DRIVE END	EACH	5
IMPELLER,	EACH	1
IMPELLER, (TRIM TO 4.88") MATERIAL Y17	EACH	1
IMPELLER, (TRIM TO 4.75") MATERIAL Y17	EACH	1
SOLENOID, COIL FOR 3/4" ATKOMATIC VALVE P/N: 62213-1 LIC FURNACE	EACH	4
RECEPTACLE, DUPLEX 20A 125V P/N#5352-I	EACH	11
CABLE, 20' THERMAL ASSEMBLY TEMP SWH	EACH	4
LINK, CONNECTING RC50	EACH	18
ELEMENT, HEATING 1/8X2" LG OGDEN MFG	EACH	3
FILTER, ELEMENT 10 MICRON P/N 934-A-H	PKG	200
LAMP FLOURESCENT F8TS/WW 12" 25/PKG	PKG	2
RING, RETAINER P/N 675-042-115	EACH	8
RING, MALE TEFLON 1" P/N 84150100	SET	3
RING, FEMALE TEFLON 1" P/N 84140100	SET	3
RING, PRESSURE 25% GLASS 1" P/N 84130100	SET	3
PLUG, PLASTIC	EACH	16
WASHER, LOCK	EACH	8
WASHER, THRUST	EACH	1
WASHER, THRUST	EACH	1
WASHER, THRUST	EACH	1
WASHER, THRUST	EACH	1
WASHER, THRUST	EACH	1
WASHER, THRUST	EACH	1
SLEEVE, CRANE MODEL 2100 P/N D000-031-012	EACH	60
PAD, MOUNTING FOR AIR CONDITIONER OUTDOOR CONDENSING UNIT.	EACH	2
ASSEMBLY, PUMP HYD W/STARTER SOLENOID WSF 88-R56832	EACH	2
FILTER, AIR ENGINE	EACH	11
FILTER, AIR COMPRESSOR	EACH	6
PLATE, 1/4" X 18" X 18" HASTALLOY C-276	EACH	1
BAGS, FILTER PART NUMBER BPM0-600-PISC	EACH	50
VALVE, SOLENOID P/N 703002	EACH	4
PAN, DRIP DRAIN TUBE P/N 3051-45-M-7901	EACH	1
SENSOR, Y/R VALU-BEAM P/N SM912LVQD	EACH	2
COUPLING, P/N L100X1"BORE X 1	EACH	1
BELL, ALARM	EACH	4
DIGITAL SCALE	EACH	1
RECORDER, CHART VARIABLE INPUT	EACH	1
KIT, REPAIR GLAND CARTRIDGE HYD. CYLINDER PARKER HANNIFIN P/N RG2AHL0175	EACH	1
SWITCH, AIR FLOW, FLEX SWITCH, FLUID COMPONENTS	EACH	2
JAW, LEFT HAND,CRIMPING TOOL	EA	1
JAW,RIGHT HAND,CRIMPING TOOL	EACH	1
RELAY, 8 PIN, 120 VAC, 10 AMP, ALLEN BRADLEY # 700 HA32A1	EACH	1

COUPLER, 3/8" 10,000 PSI, NPTF ENERPAC # CH-604	EACH	6
CONNECTOR, DOUBLE SWIVEL AIR HOSE TYPE, 3/8"NPT X 3/8"NPT	EACH	20
CONNECTOR, DOUBLE SWIVEL AIR HOSE TYPE, 1/2"NPT X 1/2"NPT	EA	10
BEARING, MODIFIED ID	EACH	1
POWER SUPPLY,PHOENIX CONTACT P/N 2943819	EACH	2
MAGNET, PN 05139602	EACH	1
TOOL, UPLOAD KIT	LOT	1
PARKER REPAIR KIT PR402H0005	EACH	6
REVERSING CONTACT W/COIL	EACH	1
TRANSMITTER, PRESSURE W/DIAPHRAGM SEAL	EACH	4
MANIFOLD FOR DAAMS	EACH	1
SWITCH, ROPE SAFETY STOP	EACH	7
LAMP HEAD, EMERGENCY FLOODLIGHT PRLH1212	EACH	25
BULB, HB970S 80-WATT FIBER OPTIC SITE GLASS REPLACEMENT LIGHT LF318	EA	4
HOSE, FLEX	EACH	4
HOSE, FLEX	EACH	3
PLUG, ELECTRICAL, UL LISTED, 2P 3 WIRE, 60 AMP, 125VAC	EACH	2
HOSE,FLEX, 1", SP-377	EA	2
CLAMP, WORM GEAR 7/16" TO 25/32"	PKG	6
STRAP, CONDUIT 1/2" 1 HOLE	EACH	100
WIRE, #18 AWG WHITE 1000 FT ROLL	ROLL	2
PROBE, THERMAL CERAMIC P/N TL4067-B56A=29 TYPE R	EACH	10
TIRE, ONC TRAILER	EACH	9
PIPE 1/2" S40 S40 A106B GALV A53B OR A106B SEAMLESS OR ERW T&C	FT	60
PIPE 3/4" S40 A106B GALV A53B OR A106B SEAMLESS OR ERW T&C	FT	40
PIPE, 1-1/2", 316L SST, SPEC SA312, SCH 40 X RANDOM L, CMTR REQUIRED	FT	17
PIPE, 1-1/2" NPS SCHEDULE 80 CPVC ASTM F441	EACH	3
PIPE, 1/2" SCH 80 A-106 GR B	FT	60
PIPE, 3/4" SCH 80 A-106 GR B	FT	60
PIPE,1",STD.WALL,CS,SMLS,ASTM A106 GR.B	FT	40
PIPE, 1-1/4" NPT, SCHED 80, 24" LENGTH, TBE, SS304 ASTM A312 TP304	EA	1
CAP, THREADED, 2", CARBON STEEL, ASTM A105, 3,000 LB.	EACH	12
REDUCER, PIPE 1/2 X 1/4 300# A197 GALV CLASS WI	EACH	58
REDUCER PIPE 1 X 1/2 300# GALV ASTM A197 MI CLASS WI	EA	4
REDUCER PIPE 2 X 1 1/2 300# GALV ASTM A197 MI CLASS WI	EA	11
NIPPLE, PIPE, 3/8"X1-1/2",SCH 80, TBE SEAMLESS CS ASTM A106-B	EA	6
NIPPLE, PIPE 3/8" X 6" LONG THREADED BOTH ENDS SCH 160 CARBON	EA	3
NIPPLE,SWAGE CONCENTRIC 1"IPS TO 3/4"SCH80 TBE CS ASTM A106-B	EA	13
NIPPLE,SWAGED CONCENTRIC 1"IPS TO 1/2"SCH 80 TBE CS	EA	13
NIPPLE,SWAGED CONCENTRIC 1/2"IPS TO 1/4"SCH 80 TBE CS	EA	13
NIPPLE,SWAGED CONCENTRIC 3/4"IPS TO 1/2"SCH 80 TBE CS	EA	13
NIPPLE,SWAGED CONCENTRIC 3/4"IPS TO 1/4"SCH 80 TBE CS	EA	7
ELBOW,90-DEG. 3/4", 3000#,SW,STEEL,ASTM A105	EACH	3
FITTING, PIPE ELL 1-1/2" NPS SOCKET SCHEDULE 80 CPVC ASTM F441	EACH	3
FITTING, PIPE TEE 1-1/2" NPS SOCKET SCHEDULE 80 CPVC ASTM F441	EACH	5
FLANGE, PIPE 1" NPS CLASS 150# FF SOCKET CPVC ASTM F441	EACH	3
FLANGE, PIPE 1-1/2" NPS CLASS 150# FF SOCKET CPVC ASTM F441	EACH	15



NIPPLE, PIPE 1" NPS X 3" LONG TBE SCHEDULE 80 CPVC ASTM F441	EACH	5
NIPPLE, PIPE 1-1/2" NPS X 3" LONG TBE SCHEDULE 80 CPVC ASTM F441	EACH	4
FLANGE, PIPE BLIND 1-1/2" NPS CLASS 150# FF CPVC ASTM F441	EACH	5
ADAPTER, MALE, STRAIGHT, NYLONG 1/4" NPT X 1/4" TUBE	EA	3
ELBOW, ADAPTER MALE 1/4" PIPE TO 1/4" TUBE, NYLONG	EA	6
TEE, 1/4" TUBE X 1/4" NPT X 1/4" TUBE, ADAPTER, NYLON	EA	3
TEE, UNION, NYLON 1/4" TUBE	EA	4
FITTING, FEMALE JIC 37 DEGREE, SWIVEL CRIMP FITTING PARKER P/N 10643-12-12	EACH	4
FITTING, BARBED HOSE, 3/4" HOSE ID X 1/2" PIPE SIZE, MCMaster-CARR 53505K76	EACH	2
NUT, TUBE 3/4" FOR TRIPLE-LOK 37 DEG. FLARE TUBE FITTING PARKER BTX	EACH	10
SLEEVE, TUBE 3/4" FOR TRIPLE-LOK 37 DEG. FLARE TUBE FITTING PARKER TX	EACH	10
TUBE FITTING, UNION 90-DEG., ELBOW, 1/2", SWAGelok #SS-810-9	EACH	8
COUPLER, 1/2 IN. FEMALE X 1/2 IN. FEMALE NPT, CAM AND GROOVE, TYPE D	EA	5
COUPLING, 1 1/2" CAM & GROOVE, MALE ADAPTER X SHANK 316 SS	EACH	6
ELL, 45 DEGREE 1/2" 300# GALV A197 CLASS WI	EACH	19
1/4" ELL, 90 SCRD 3000# A182-316F CLASS AFB	EACH	6
NIPPLE, PIPE 1/2 X 1 1/2 XS GALV TBE ASTM A106B CLASS WI	EACH	28
NIPPLE, PIPE 1/2 X 2 1/2 XS GALV TBE ASTM A106B CLASS WI	EACH	26
NIPPLE, PIPE 1/2 X 4 XS GALV TBE ASTM A106B CLASS WI	EACH	38
1-1/2" 150# SLIP ON FLANGE ATM A-105 RAISED FACE 250 TO 125 AARH	EACH	7
FLANGE, 1" RF SW 300 LB. B564 UN10276, SCH40 BORE.	EACH	1
FLANGE, 1-1/2" ANSI 300# RF THREADED CS ASMT A105	EACH	8
FLANGE, BLIND 1" NPS ANSI 150# 304 SS	EACH	1
FLANGE, BLIND 1" NPS ANSI 150# CAST STEEL FOR PTFE LINED PIPE	EACH	3
COUPLING, PIPE 1" - 3000# SW A105	EACH	4
COUPLING UNIVERSAL FEMALE NPT END 1/4"	EACH	10
COUPLING UNIVERSAL HOSE END 3/8"	EACH	15
FLANGE, LAP JOINT, 1-1/2" PIPE DIA. CS, ASTM A105, CL 150	EACH	5
FLANGE, 1-1/2" DIAMETER, TWO PIECE BACKUP FLANGES,	EACH	5
CAM LOCK HOSE BARB X SOCKET (C COUPLER)	EACH	4
CAM LOCK MALE PIPE X SOCKET (B COUPLER)	EACH	6
PLUG X MALE PIPE (F ADAPTER) CAM LOCK 3"	EACH	6
PLUG, X FEMALE PIPE 3"	EACH	5
FITTING, TEE, 3/4", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	6
ELL PIPE 45 1/2" 300# GALV ASTM A197 MI CLASS WI	EA	4
ELL PIPE 90 1/4" 300# AAR GALV ASTM A197 MI CLASS WI	EA	26
ELL PIPE 90 3/8" 300# GALV ASTM A197 MI CLASS WI	EA	12
REDUCER PIPE 1 1/2 X 1 300# GALV ASTM A197 MI CLASS WI	EA	6
ELL PIPE 45 1" 300# GALV ASTM A197 MI CLASS WI	EA	1
ELL PIPE 90 1/2" 300# GALV ASTM A197 MI CLASS WI	EA	24
ELL PIPE 90 3/4" 300# GALV ASTM A197 MI CLASS WI	EA	6
FITTING, 45 ELL, 1/2", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	7
FITTING, 90 ELL, 1", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	19
FITTING, 90 ELL, 1/2", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	19
FITTING, 90 ELL, 3/4", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	19
FITTING, 45 ELL, 1", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	1
FITTING, 45 ELL, 3/4", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	1

NIPPLE, SWAGE 1 1/2" X 1" XH GALV TBE CLASS WI	EACH	3
NIPPLE, SWAGE 1/2" X 1/4" XH GALV TBE CLASS WI	EACH	10
NIPPLE, SWAGE 2" X 1 1/2" XH GALV TBE CLASS WI	EACH	4
NIPPLE, SWAGE 2" X 1" XH GALV TBE CLASS WI	EACH	3
UNION, 1 1/2" A197 300# GALV CLASS WI	EACH	13
UNION, 1" A197 300# GALV CLASS WI	EACH	10
UNION, 1/2" A197 300# GALV CLASS WI	EACH	29
UNION, 1/4" A197 300# GALV CLASS WI	EACH	13
UNION, 1/8" A197 300# GALV CLASS WI	EACH	13
UNION, 3/4" A197 300# GALV CLASS WI	EACH	14
UNION, 3/8" A197 300# GALV CLASS WI	EACH	13
NIPPLE, 1/4" PIPE CLOSE S80 TBE A106B GALV MI	EACH	11
NIPPLE, PIPE 1/2 X 1 1/2 S80 TBE A106B GALV MI	EA	9
NIPPLE, PIPE 1/2 X 2 1/2 S80 TBE A106B GALV MI	EA	22
NIPPLE, PIPE 1/2 X 2 S80 TBE A106B GALV MI	EA	21
NIPPLE, PIPE 1/4 X 3 1/2 S80 TBE A106B GALV MI	EA	9
NIPPLE, PIPE 1/4 X 5 S80 TBE A106B GALV MI	EA	12
NIPPLE, PIPE CLOSE 3/8 S80 TBE A106B GALV MI	EA	12
NIPPLE, PIPE 1 1/2 X CLOSE S80 TBE A106B GALV MI	EA	7
NIPPLE, PIPE 1 X 2 1/2 S80 TBE A106B GALV MI	EA	14
NIPPLE, PIPE 1 X 2 S80 TBE A106B GALV MI	EA	10
NIPPLE, PIPE 1 X 3 1/2 S80 TBE A106B GALV MI	EA	25
NIPPLE, PIPE 1 X 3 S80 TBE A106B GALV MI	EA	12
NIPPLE, PIPE 1 X 4 S80 TBE A106B GALV MI	EA	16
NIPPLE, PIPE 1 X 5 S80 TBE A106B GALV MI	EA	11
NIPPLE, PIPE 1 X 6 S80 TBE A106B GALV MI	EA	3
NIPPLE, PIPE 1 X CLOSE S80 TBE A106B GALV MI	EA	12
NIPPLE, PIPE 1/2 X 4 S80 TBE A106B GALV MI	EA	16
NIPPLE, PIPE 1/2 X 6 S80 TBE A106B GALV MI	EA	6
NIPPLE, PIPE 3/4 X 1 1/2 S80 TBE A106B GALV MI	EA	11
NIPPLE, PIPE 3/4 X 2 1/2 S80 TBE A106B GALV MI	EA	24
NIPPLE, PIPE 3/4 X 3 1/2 S80 TBE A106B GALV MI	EA	12
NIPPLE, PIPE 3/4 X 3 S80 TBE A106B GALV MI	EA	3
NIPPLE, PIPE 3/4 X 4 S80 TBE A106B GALV MI	EA	23
NIPPLE, PIPE 3/4 X CLOSE S80 TBE A106B GALV MI	EA	12
NIPPLE, PIPE 1 1/2 X 2 1/2 S80 TBE A106B GALV MI	EA	26
TEE, PIPE, 1-1/4" X 1-1/4" X 1-1/4", EXTRA STRONG, THREADED,	EA	1
NIPPLE, SWAGE 1" X 1/2" XH GALV TBE CLASS WI	EACH	15
NIPPLE, SWAGE 1/2" X 3/8" XH GALV TBE CLASS WI	EACH	2
NIPPLE, SWAGE 1/4" X 1/8" XH GALV TBE CLASS WI	EACH	4
NIPPLE, SWAGE 3/4" X 1/2" XH GALV TBE CLASS WI	EACH	6
NIPPLE, SWAGE 3/4" X 1/4" XH GALV TBE CLASS WI	EACH	8
NIPPLE, SWAGE 3/4" X 3/8" XH GALV TBE CLASS WI	EACH	13
NIPPLE, SWAGE 3/8" X 1/4" XH GALV TBE CLASS WI	EACH	8
ELL PIPE 45 2" 300# GALV ASTM A197 MI CLASS WI	EA	11
ELL PIPE 45 1 1/2" 300# GALV ASTM A197 MI CLASS WI	EA	8
ELL PIPE 90 2" 300# GALV ASTM A197 MI CLASS WI	EA	12

TEE PIPE 2" 300# GALV ASTM A197 MI CLASS WI	EA	8
STUB, END, 1-1/2" THREADED, ASTM A105	EACH	10
CAP, PORT CLOSURE, TURCK # SB-CC PACKS OF 10	PKG	10
NIPPLE, PIPE 1/2" X 3 1/2" LONG XS GALV TBE A106B	EACH	30
NIPPLE, PIPE 1/2" X 3" LONG XS GALV TBE A106B	EACH	10
NIPPLE, PIPE 1/2" X 6" LONG XS GALV TBE A106B	EACH	23
GASKET, TAPE 1/2" W X 0.120" TK GORE-TEX	FT	50
GASKET, 3 1/2" 150# SPIRAL WOUND	EACH	20
GASKET, 8" FLANGE 150# RING TYPE GRAFOIL	EACH	3
GASKET, END COVER, #15611641	EACH	3
GASKET, BONNET FOR 3"-150# TY CHECK VALVE MODEL 103RF15XX 24-V-230 433 633	EACH	1
GASKET, 1" FLANGE 150# RING TYPE GRAFOIL	EACH	6
GASKET, 3/4" FLANGE 150# RING TYPE GRAFO	EACH	2
BUSHING, REDUCER PIPE, 2 1/8 IN X 2 IN NPT FEMALE ADAPTER GALVANIZED STEEL	EA	2
BUSHING	EACH	1
BUSHING, PIPE 1" X 1/2" SS HEX	EACH	7
BUSHING, PIPE 1" X 1/4" SS HEX	EACH	7
BUSHING, REDUCING, PVC, SLIP, 6" X 4"	EACH	4
BUSHING, REDUCING, PVC, SLIP, 8" X 4"	EACH	4
BUSHING, REDUCING, PVC, SLIP, 8" X 6"	EACH	4
REDUCER, 3/4" MNPT X 1/4" FNPT MI	EACH	39
REDUCER, 3/8" MNPT X 1/4" FNPT MI	EACH	59
REDUCER, BUSHING 1-1/2" X 1" THREADED	EACH	4
PIPE, NIPPLE, 1/2" X 2-1/4" LONG	EACH	2
CAP, STEEL SAE 37 JIC TWIN 1/4" OD TUBE	EA	5
CAP, STEEL SAE 37 JIC TWIN 3/8" OD TUBE	EA	5
CAP, STEEL SAE 37 JIC TWIN 5/16" OD TUBE	EA	5
CAP, STEEL SAE 37 JIC TWIN 1" OD TUBE	EA	3
CAP, STEEL SAE 37 JIC TWIN 1-1/4" OD TUBE	EA	3
CAP, STEEL SAE 37 JIC TWIN 2" OD TUBE	EA	3
CAP, STEEL SAE 37 JIC TWIN 3/4" OD TUBE	EA	13
CAP, STEEL SAE 37 JIC TWIN 5/8" OD TUBE	EA	1
FITTING, HYDRAULIC 1" UNION 37 FLARE 16HTX	EACH	5
FITTING, HYDRAULIC 1/2" CAP 37 FLARE 8FNTX	EACH	25
FITTING, HYDRAULIC 1/2" UNION 37 FLARE 8HTX	EACH	5
FITTING, HYDRAULIC 12HTX	EACH	6
PLUG, STEEL SAE 37 JIC TWIN 1" OD TUBE	EA	3
PLUG, STEEL SAE 37 JIC TWIN 1-1/2" OD TUBE	EA	3
PLUG, STEEL SAE 37 JIC TWIN 1-1/4" OD TUBE	EA	3
PLUG, STEEL SAE 37 JIC TWIN 3/4" OD TUBE	EA	6
ELBOW, 90 DEG STREET 1/8" NPT	EACH	5
ELBOW, 90 DEG STREET 1/8"	EACH	97
ELBOW, PIPE, FEMALE, 1/4 X 1/4 STAINLESS	EACH	2
COUPLER, FEMALE 1 IN. X 1 IN. FEMALE NPT, CAM AND GROOVE, TYPE D	EA	10
COUPLING, TWIST-LOCK 3/4" NPT FEMALE END	EA	25
COUPLING, PIPE 1/8" BLACK STEEL	EACH	2
COUPLING, MALE BOSS #4 TO FEMALE JIC #4	EACH	2

FERRULE, 1/4" FRONT SS	EACH	10
NUT, TUBE 1/4" SS	EACH	15
UNION, TUBE 1/16" X 1/16" SWAGELOK # SS-100-6	EACH	12
UNION, TUBE BULKHEAD 1/4"T SS	EACH	5
UNION, TUBE RED 1/4" X 1/8" SS	EACH	9
ADAPTER, TUBE 1/2" NPT X 1/4"T SS	EACH	15
ADAPTER, TUBE 1/4" NPT X 1/4"T SS	EACH	40
ADAPTER, TUBE 1/8" MNPT X 1/4" NPT SS	EACH	10
ADAPTER, TUBE 1/8" NPT X 1/8"T SS	EACH	10
CAP, TUBING 1/8" SS	EACH	40
PLUG, TUBE 1/2" SS	EACH	20
PLUG, TUBE 1/4" SS, P/N 4BLP4-SS PARKER	EACH	20
PLUG, TUBE 1/8" SS	EACH	15
PLUG, TUBE 3/8" SS	EACH	10
UNION, TUBE 1/2"T SS	EACH	15
UNION, TUBE RED 1/2"T X 1/4"T SS	EACH	15
ADAPTER, TUBE 1/2" NPT X 1/4"T SS	EACH	10
ADAPTER, TUBE 1/4" FNPT X 1/4" T SS	EACH	25
ADAPTER, TUBE ELBOW 90 DEG 1/4"MNPT X 1/4"T SS	EACH	15
NIPPLE, HEX REDUCING 1/2" TO 1/4"	EACH	10
NIPPLE, HEX REDUCING 1/2" TO 1/8"	EACH	5
NIPPLE, HEX REDUCING 3/8" TO 1/4"	EACH	1
TEE, TUBE UNION 1/8" SS	EACH	16
ADAPTER, TUBE 1/2" NPT X 3/8"T	EACH	15
TEE, 1/4" MALE	EACH	4
UNION, TUBE RED SS 3/8" X 3/8" TUBE	EACH	16
UNION, TEE S/S 1/4"T X 1/4"T X 1/4"T	EACH	20
COUPLING, 3/8" PIPE SWAGELOK SS-6-HCG	EACH	8
COUPLING, REDUCING PIPE 3/8 X 1/4 SWAGELOK	EACH	8
FLANGE, 6" WN 150# CS RF	EACH	3
COUPLING, CAM AND GROOVE HOSE, 3/4" CAP X SOCKET, DUST CAP, 316SS, LEVERS	EACH	10
COUPLING, CAM AND GROOVE HOSE, 3/4", PLUG X HOSE SHANK, E ADAPTER, 316SS	EACH	9
COUPLING, HOSE, CAM AND GROOVE, 3/4", BARB X SOCKET, C COUPLING, 316SS	EACH	9
ROLLER, 4" DIA x 42-3/4" LG W/80A17 P/N 8651-1	EACH	20
ROLLER, 4" DIA. X 42-3/4" LONG W/TWO 80A217 SPROCKETS	EACH	20
ROLLER, 4" DIA x 68-1/2" LG W/80A17 P/N 8651-2-1	EACH	10
PIPE, 1/2" NPS SCHEDULE 40 SEAMLESS MATERIAL RA 353MA PER ASTM	FT	1467.1
SHAPE, 1/4", 316L SST, SPEC SA479, 1-1/2" X 1-1/2" X 20'	EA	5
BAR, 1" RA 330 SPEC SB511 2" X 12' CMTR REQUIRED	EA	1
BEAM,WIDE FLANGE,W6X20X20'-0'LG,+/-2'-0" ON LENGTH.ASTM A36.	EACH	1
PIPE, 3/4" NPS SCHEDULE 40 316L STAINLESS STEEL ASTM A 312	FT	20
BAR, ROUND 3/4" X 20' A36 STEEL	EACH	8
BEAM,WIDE FLANGE,W6X20X20'-0'LG,+/-2'-0" ON LENGTH.ASTM A36.	EACH	0.5
CHANNEL,C10X15.3X20'-0"LG.+/-3'-0"LG.ASTM A36	EACH	1
TUBE STEEL, 3" X 3" X 3/8" THICK, X 20'-0" LONG, +/- 3'-0" ON LENGTH	EACH	1
CHAIN, RC80 SS 42 LINK LG ROLLER TO ROLLER	EACH	100
MOTOR, ELECTRIC 25 HP, 1800 RPM, 284T	EACH	1

NIPPLE, FEMALE, 3/8" NPT S/S QUICK CONNECT PARKER P/N SST-N3	EACH	5
NIPPLE, MALE, 3/8" NPT S/S QUICK CONNECT PARKER P/N SST-N3M	EACH	5
NIPPLE, PIPE 1/2" X 4" LONG 316 SS SCHEDULE 80 PLAIN ENDS (NO THREADS)	EACH	11
FITTING, 3/4" 90DEG ELBOW JIC 37DEG	EACH	1
FLANGE, 1", 150#, RAISED FACE	EA	3
FLANGE, 2" SO 150# CS SCH 40 RF	EACH	3
SOCKOLET, 3000# 1 X 36-12 A105	EACH	5
FILTER/REGULATOR, PRESSURE	EACH	12
TUBING, NYLON SEMIFLEXIBLE 1/4" OD	FT	200
ADAPTER, G-1/2 MALE X SAE 8 JIC MALE	EACH	5
ADAPTER, SAE -8 STRAIGHT THREAD O-RING	EACH	6
KIT, REPAIR 1-1/2" BALL VALVE APOLLO-CONBRACO P/N 87-017-01	EACH	2
VALVE, PLUG 1/4"	EACH	4
VALVE, DELAY 3-WAY	EACH	2
VALVE, BALL 3/4" BRONZE SOLDER X MNPT	EACH	7
VALVE, BALL, 1/2" BRONZE SOLDER X 3/4" MNPT	EACH	7
BUSHING, PIPE 1 1/2" X 3/4" NPT HEX STEEL	EACH	6
BUSHING, RED 1/8" X 1/2"	EACH	5
BUSHING, RED 1/8" X 1/4"	EACH	7
BUSHING, RED 1/8" X 3/8"	EACH	7
BUSHING THREADED HEX 1/2 NPT X 1" NPT P/N 4443K757	EACH	14
INDICATOR, LEVEL/TRANSMITTER DISPLAY MODULE MOBREY MODEL MCU901	EACH	2
MOTOR, ELECTRIC 1/2 HP 1725 NOMINAL RPM FRAME 56 230/460 V AC MARATHON ELEC	EA	2
VALVE, GATE 1/2 INCH LADISH HASTELLOY	EA	4
MOTOR, ELECTRIC 1 HP 1750 RPM NOMINAL 140TC FRAME 230/460 VAC	EACH	1
MOTOR, 1-1/2 HP 230, 460 VOLT, 1750 RPM, TEFC, 145T FRAME	EA	1
GASKET, BONNET FOR 4"-150# TY CHECK VALVE MODEL 103RF15XX 24-V-222 226 622	EACH	4
GASKET, BONNET FOR 6"-150# TY CHECK VALVE MODEL 103RF15XX 24-V-822 826	EACH	2
FLANGE, 1" SOCKET WELD 300 LB HASTELLOY C-276	EACH	2
FITTING, QUICK CONNECT, 1/4" PIPE THREAD	EACH	50
BLEED-RING, INSTRUMENTS CALIBRATION 1-1/2" NPS W/MOUNTING HOLES HASTELLOY	EACH	3
SPACER, FLANGE LINED PIPE 2" NPS 150# FLANGE 3" THICK PTFE	EACH	5
BLEED-RING, INSTRUMENTS CALIBRATION 1-1/2" NPS W/MOUNTING HOLES 316 SS	EACH	4
BLEED-RING, INSTRUMENTS CALIBRATION 2" NPS W/MOUNTING HOLES 316 SS	EACH	4
BLEED-RING, INSTRUMENTS CALIBRATION 3" NPS W/MOUNTING HOLES 316 SS	EACH	4
KIT, MOUNTING FOR WORCESTER 2" E 18 THREE-WAY VALVE FOR ACS FILTERS	EACH	2
GAUGE, TEMPERATURE 0-150F 18" STEM	EACH	1
FLANGE, 2" SW 150# SCHEDULE 40 BORE HASTELLOY	EACH	12
FLANGE, 1" - 150# RF SW ASTM B564 ALLOY N10276 PIPE CLASS WG	EACH	3
VALVE, PISTON CHECK 800# SW A105 1"	EACH	4
VALVE, BUTTERFLY 10" VIC-300 FOR FWPH RECIRC	EACH	1
REDUCER,CONCENTRIC,STD,1-1/2"X1",C/S W/INTERNAL 150 LB.FLGS.	EACH	1
REDUCER,CONCENTRIC,STD,2"X1",C/S W/INTERNAL 150 LB.FLGS	EACH	2
CABINET, ACID STORAGE 60 GAL. STANDARD	EACH	1
CABINET, FILE 4 DRAWER LETTER (214P)	EACH	3
ENGRAVER, SELECTABLE-RATIO, 10" X 18"	EACH	1
DC POWER SUPPLY, 115VAC INPUT, 90VDC	EACH	1

FITTING, 1-1/2" CAM LOCK SP-130	EA	3
RECEPTACLE, CIGARETTE BUTT	EACH	4
WINDOW, LOW-E COATING 12" X 12" GRAY	PAIR	2
VIAL, 1ML KIMAS	PKG	1
FILTER, PHOSPHORUS, PN 19256-80010	EACH	1
LINERS, INLET LINERS, PN 5181-3316	EACH	14
GOOSENECK SPLITLESS LINER, RESTEK PN 20799-214.5, 210.5	PKG	10
CHECK VALVE, 2" EXCESS FLOW SERIES 217 METAL GOODS MANUFACTURI	EACH	2
KIT, FOR 1" BALL VALVE	KIT	1
KIT, FOR 1-1/2" BALL VALVE	KIT	1
PAD, SANDING, STICKFIX, FESTOOL DTS ITEM NO. 493723, EQ SANDER	EACH	16
BUSHING, REDUCING, 1" NPT X 3/8" FNPT, C276 HASTELLOY	EACH	3
SEAL,6890 GOLD PLATED SPLIT/SPLITLESS INLET	EACH	5
GC TURRET P/N G1513-40010	EACH	2
THERMOMETER, PN 77776-720	EACH	1
SOLENOID VALVE BRACKET P/N G1580-00070	EACH	2
PIPE, 3/4", ALLOY C-276, SPEC SB619, SCH 40 X RANDOM L, CMTR REQUIRED	FT	20.16
PIPE, 1.5" SCHEDULE 40 HASTELLOY	FT	20
PIPE, 1", ALLOY C-276, SPEC SB619, SCH 40 X RANDOM L, CMTR REQUIRED	FT	40
PIPE, 1" SCH 40 ASTM 619 WELDED C276	FT	80
MOTOR ELECTRIC 3 HP, 1800 RPM NOMINAL, 184T	EACH	1
MOTOR, ELECTRIC 7 1/2 HP, 1800 RPM, 213TC	EACH	1
MODULE, PILOT LIGHT	EACH	4
GAUGE, PRESSURE, 0-160 PSI WEKSLER AA44 2PG2LW W/DIAPRAGM SEAL	EACH	1
SEAL, MECHANICAL STANDARD BORE 4610 CARTRIDGE WITH HARD FACE P/N 81708171	EACH	2
DIAPHRAGM, EPDM SAUNDERS DIAPHRAGM VALVES # 1.0" A-TYPE "E"	EACH	4
DIAPHRAGM, EPDM SAUNDERS DIAPHRAGM VALVES # 2.0" A-TYPE "E"	EACH	3
SWITCH, CURRENT ROCHESTER ET-1215-ID1-HLF-H1-N1-T2	EACH	1
VALVE, PRESSURE REGULATOR 1" NPT THREADED UNION FEMALE 25-75 PSI RANGE	EACH	2
KIT, REPAIR MAIN VALVE ANDERSON GREEN. VACUUM RELIEF VALVE ACS TANK VENT	EACH	2
VALVE, BALL 1/2" NPT STEEL HIGH PRESSURE PARKER #BVHP08NSK1EA	EACH	8
PLUG X MALE PIPE CAM LOCK ADAPTER 4"	EACH	6
FEMALE PIPE X SOCKET (D COUPLER) 4" CAM LOCK	EACH	6
KEYSTOCK, 5/8" SQUARE C1018 GROUND 3' LONG PIECE	PC	2
STRAINER, Y, 1 1/2 IN. IPS, CARBON STEEL, SOCKET WELD, SPIRAX-SARCO	EA	1
GAUGE, PRESSUEE 0-30 PSI, 150#	EACH	4
1/2" CV-151 BERTRUM BALL VALVE	EACH	1
ELBOW, 45 DEGREE, 1" FNPT, TITANIUM, ASTM B348/B381 GRADE F2	EACH	1
VALVE, BALL CONTROL 2" 150# RFSF CS CONBRACO 88A-148-01 WITH ACTUATOR	EACH	1
HOSE,METAL 1/4 TUBE STUB ENDS 12 LONG SWAGelok#SS-FM4TA4TA4-12	EACH	18
FITTING 1 1/2" 90DEG ELBOW JIC 37DEG	EACH	1
MICROPHONE, FIST	EACH	1
KIT, REPAIR BACKPRESSURE REGULATOR 3/4" 150 TO 95 PSIG CASHCO QR5-BNIK-UM	EACH	1
BLOCK, CONTACT, 1 NC PUSHBUTTON+SELECTOR SWITCH XB2 22MM 10A 600V	EA	3
PLUG, BLEED 1/2" MNPT 316 SS	EACH	40
ROLLER, 3"	EACH	100
ROLLER, 2"	EACH	110

NOZZLE, SPRAY 1/2"	EACH	24
BLEED-RING, INSTRUMENTS CALIBRATION 2" NPS RING TYPE 316 SS	EACH	3
BLEED-RING, INSTRUMENTS CALIBRATION 3" NPS RING TYPE 316 SS	EACH	3
BLEED-RING, INSTRUMENTS CALIBRATION 1" NPS RING TYPE 316 SS	EACH	2
BLEED-RING, INSTRUMENTS CALIBRATION 2" NPS RING TYPE HASTELLOY	EACH	3
BLEED-RING, INSTRUMENTS CALIBRATION 2" NPS W/MOUNTING HOLES HASTELLOY	EACH	3
GAUGE, PRESSURE 0-200 PSIG ASHCROFT P/N 45-1009S-04L-L-200	EACH	1
GAUGE, PRESSURE, 0-200 PSIG ASHCROFT P/N 45-1009S-02L-L-200	EACH	1
GAUGE, PRESSURE 0-160 PSI WEKSLER AA44 W/HASTELLOY SEAL 1" 150	EACH	6
GAUGE, PRESSURE 0-500 PSI LIQUID FILLED	EACH	1
GAUGE, PRESSURE 0-30 IN WC, 2 1/2", 1/4"NPT	EACH	3
GAUGE, PRESSURE 0-100 PSI ASHCROFT	EACH	2
GAUGE, PRESSURE 0-200 PSI ASHCROFT 45-1279SS SEAL	EACH	4
SWITCH, PRESSURE ASHCROFT	EACH	1
SWITCH, PRESSURE	EACH	1
RELAY, TIME DELAY !!USE I.C. 16990 FIRST!!	EACH	1
CARD, LINE MONITOR	EACH	3
DIAPHRAGM, REPL PTFE FOR 1" RESISTOFLEX	EACH	2
VALVE, AIR CONTROL ASSEMBLY	EACH	4
KIT, SOFT GOODS REPAIR FOR 2 INCH BERTREM BALL VALVES	KIT	4
GASKET,SEAL,V-19469-15	EACH	12
LOCK, MAGNETIC NICKLE PLATED	EACH	2
CHUX	PKG	12
BINGO CAGE, LARGE	EACH	1
SHOWER ROOM, FLEET SERIES HOTSHOT	EACH	1
BELT, DRIVE	SET	2
BASE, MAGNETIC W/ATTACHMENTS P/N 657AA	EACH	3
INDICTORS, DIAL TEST P/N 196A1Z	EACH	1
SLEEVE, SNUG COMPLETE 5/16" 3/32 - 1/4" P/N PT18718	EACH	2
SNUG, UNIVERSAL P/N 57S	EACH	2
SNUG, UNIVERSAL P/N 58S	EACH	4
TRAP, ACEM FOCUSING 7-1/4" L X 0.9MMID	EACH	22
VALVE, SOLENOID 1/4" NPT 3-WAY UNIVERSAL 120 VAC ASCO 8320	EACH	1
CHAIN BREAKING ROLLER 120-160/ 1 1/2"-2"	EACH	3
FILTER CARTRIDGES	EACH	1
LEAD, PVC # 16 AWG, 7P MALE STRAIGHT 2R70006A20A1201	EACH	1
UNIT, FIREFLY II MV OR FIREFLY 4 MV, LECTRONIC RELEASE STATION	EACH	1
SWITCH, PROXIMITY SENSOR 5 MM RANGE TURCK BI5-P18SK-AP6X2 W/B1141 CONN	EACH	1
RING, BLEED,HASTELLOY C, 3" TO 4 1/8" CHAMFER BOTH SIDES.	EACH	2
RECEPTACLE, FEMALE 4-PIN MINI-CHANGE, #16 AWG, 12 INCH 1/2-14NPT	EACH	4
VALVE, SOLENOID 1/2" NPT 5/8" ORIFICE, ASCO P/N EF8210G87	EACH	1
DUPLICATOR, MICROBOARDS QD-DVD-123 24X/48X STANDALONE 1:3 DVD/CD DUPLICATOR	EA	1
LEAD, PVC #16 AWG, 7P MALE STRT, 2R70006A20A120	EACH	1
LEAD, PVC #16 AWG, 7P FEMALE STRT 2R70004A20A120	EACH	1
FITTING, HOSE SHANK 1/4" ID HOSE X 3/8" H-NPT HASTELLOY	EACH	1
FITTING, HOSE SHANK 5/16" ID HOSE X 3/8" H-NPT HASTELLOY	EACH	1
FITTING, HOSE SHANK 3/8" ID HOSE 3/8" H-NPT	EACH	1

PIVOT, SPRING GATE PN 7112-601	EACH	1
CLAMP, CHAIN HOLDER	EACH	6
MISC. LAB COATS ( QTY. 10 )	LOT	1
LEAD, PVC #16 AWG, 4P MALE STRAIGHT	EACH	2
DIVIDER LAYOUT TOOL 8"	EACH	2
MARKERS RADIUS, PN 8989A71	EACH	2
MARKERS RADIUS, P/N 8989A72	EACH	2
DIVIDERS WING 10" P/N 2022A4	EACH	1
FPD DET. TOP COVER P/N G2333-81590	EACH	4
GRINDER, TUNGSTEN, TURBO SHARP III	EA	1
SCALE, BENCH, 1000-LB CAPACITY, OWM	EACH	1
DRUMS, 110 GALLON, 1A2/X445/S/08	DRM	96
SHELF, 3 SIDED MESH WITH 3 SHELVES, JAMCO # ZC260-P6-B6	EACH	1
TOTES	EACH	2
HEATER, FORCED AIR 15KW, 480V, 3 PHASE	EA	1
TABLE, 48" X 96", METAL LEGS, WOOD TOP	EACH	1
EYEWASH STATIONS-PORTABLE 16 GAL. W/HYDROSEP	EACH	3
BAG, VACUUM CLEANER CLOTH	EACH	20
PAPER, COPY WHITE 8-1/2X14"	CASE	6.3
DEVELOPER, 3060 COPIER	EACH	2
INK, RED XEROX 5352 5855C P/N 6R365	BOX	1
DEVELOPER, 8855 COPIER	EACH	3
PAPER, WHITE, 8-1/2" 11", 3R3041	CASE	1.6
SPILL KIT-95-GALLON HAZORB	EACH	10
SPILLSKID PLATFORMS(HOLDS FOUR DRUMS)	EACH	102
SAW, BAND 1" BLADE	EACH	1
JACKSTAND, ROLLING V HEAD 2500 LB	EACH	4
STAND, W/V HEAD JACK	EACH	6
DESK, SINGLE PEDESTAL (METAL)	EACH	3
FIXTURE, HPS WITH THREADED REFRACTOR, SAF SERIES	EACH	1
REFRACTORY, K-30, 9X6X3, #2 ARCH	EACH	308
BRICK, K26 IFB SPECIAL SKEW SHAPE	EACH	72
BRICK, FIRE RUBY SR SPECIAL CAP SHAPE	PC	2
BRICK, REFRACTORY RUBY SR SPECIAL PLUG SHAPE #86-3029, E08	EA	4
BRICK, REFRACTORY RUBY SR SPECIAL PLUG SHAPE #86-3029, E08	EA	3
REFRACTORY, SR-90, D-11651-48	EACH	6
BRICK, SR-90 CAMERA PORT SHAPE, D-13547-59	EA	2
REFRACTORY, SR-90, D-11651-24	EACH	40
BRICK, FIRE RUBY SR SPEC SHAPE #TT-E7 W/5.5" DIA HOLE E7 SHAPE	EACH	40
BRICK, REFRACTORY RUBY SR 9" X 4-1/2" X 3" #4 KEY, E06	EA	93
BRICK, FIRE RUBY SR SPEC SHAPE #TT-E7 W/5.5" DIA HOLE E7 SHAPE	EACH	82
REFRACTORY, K-23, 12X4-1/2X3 #3 ARCH	PAL	8
REFRACTORY, SR-90, D-11651-11	EACH	1
REFRACTORY, K-3000, 9X6X3, #2 ARCH	EACH	294
BRICK, FIRE K-23 NOZZLE SLEEVE	PC	3
REFRACTORY, K-3000, 9X4-1/2X3, #1 ARCH	EACH	325
REFRACTORY, K-3000, 9X4-1/2X3, STS	EACH	10



REFRACTORY, K-3000, 9X6X3, #1 ARCH	EACH	66
BRICK, K26 L1 PER 6170-189 BUILT UP	EACH	71
REFRACTORY, K-20, 9X4-1/2X3, STS	EACH	120
BRICK, REFRACTORY JM-30 IFB DOME SHAPE D-13552-33, S33	EA	80
BRICK, REFRACTORY JM-30 IFB DOME SHAPE D-13552-37, S37	EA	40
BRICK, K-20 IFB 9" X 4 1/2" X 3" #2 ARCH	EA	240
REFRACTORY, PENGUARD, 55 BLOCK, 1X6X9 (84 PCS PER BOX)	EACH	1084
REFRACTORY, PENGUARD, 55 BLOCK, 1X6X9 (84 PCS PER BOX)	EACH	2016
REFRACTORY, SR-90, D-11651-39	EACH	1
REFRACTORY, SR-90, D-11651-40	EACH	10
REFRACTORY, SR-90, D-11651-49	EACH	4
BRICK, REFRACTORY RUBY SR DOME SHAPE D-13552-1, S01	EA	4
BRICK, REFRACTORY RUBY SR 9" X 4-1/2" X 3" #3 KEY, E05	EA	45
BRICK, SR-90 CAMERA PORT SHAPE, D-13547-58	PC	1
BRICK, SR-90 CAMERA PORT SHAPE D-13547-14	EA	1
BRICK, SR-90 CAMERA PORT SHAPE D-13547-15	EA	1
BRICK, SR-90 SIGHT PORT SHAPE D-13547-17	EA	1
BRICK, SR-90 SIGHT PORT SHAPE D-13547-19	EA	1
BRICK, SR-90 SIGHT PORT SHAPE D-13547-20	EA	2
BRICK, SR-90 CAMERA PORT SHAPE D-13547-58	EACH	1
BRICK, FIRE RUBY SR 9X4.5X3 KEY 04 E-6 SHAPE	EACH	191
REFRACTORY, SR-90, D-11651-17	EACH	20
REFRACTORY, SR-90, D-11651-18	EACH	21
REFRACTORY, SR-90, D-11651-19	EACH	21
BRICK, FIRE RUBY SPECIAL NOZZLE	PC	2
RUBY SR SPECIAL NOZZLE SHAPE, #86-1011, E17	EA	2
REFRACTORY, K-23, 12X4-1/2X3, #2 ARCH	EACH	164
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #3 ARCH, ED06 S30	EA	304
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #3 ARCH, ED06 S30	EA	304
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #3 ARCH, ED06 S30	EA	304
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #3 ARCH, ED06 S30	EA	304
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #3 ARCH, ED06 S30	EA	304
PUMP, PERISTALTIC SMALL VOLUME 3/8" ID TUBING BARNANT-MASTERFLEX 950-1020	EACH	1
PUMP, PERISTALTIC SMALL VOLUME 5/16" ID TUBING BARNANT-MASTERFLEX 956-1029	EACH	1
BRICK, REFRACTORY RUBY SR 13-1/2" X 4-1/2" X 3" #3 ARCH, ED14	EACH	283
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #3 ARCH, ED06 S30	EA	228
BRICK, REFRACTORY RUBY LW 9" X 4-1/2" X 3" #1 ARCH, E03	EA	131
BRICK, REFRACTORY RUBY SR 9" X 4-1/2" X 3" #4 KEY, E06	EA	294
BRICK, REFRACTORY RUBY SR 9" X 4-1/2" X 3" #2 ARCH, ED02 S25	EACH	295
BRICK, REFRACTORY RUBY SR 9" X 4-1/2" X 3" #2 ARCH, ED02 S25	EACH	210
REFRACTORY, SR-90, 9X4-1/2X3, #2 ARCH	EACH	252
REFRACTORY, SR-90, D-11651-20	EACH	16
REFRACTORY, SR-90, D-11651-21	EACH	20
REFRACTORY, SR-90, D-11651-22	EACH	12
REFRACTORY, SR-90, D-11651-23	EACH	5
SR-90 INSTRUMENT CONNECTION SHAPE D-11651-25	EACH	2
REFRACTORY, SR-90, 9X4-1/2X3, #2 ARCH	EACH	320

BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #3 ARCH, ED06 S30	EA	135
BRICK, REFRACTORY RUBY SR 9" X 4-1/2" X 3" #3 ARCH, ED03 S24	EACH	464
BRACKET, FOR 48" WIRE RACKS	LOT	1
SUPPORTS, 3 INCH PALLET RACK	LOT	1
RACK SHELVES	EACH	95
INSULATION, KAOWOOL BLANKET 8# DENSITY	ROLL	2
24" X 48" X 1" KAOWOOL 2800 BOARD	BOX	4
WASTEBASKET, BLACK 7 GALLON	EACH	4
POST, VERTICAL 30" 10.7 LBS	EACH	12
SLEEVE, CRANE MODEL 2100 P/N D000-031-012	EACH	4
SLEEVE, CRANE MODEL 2100 P/N D000-031-012	EACH	2
SLEEVE, CRANE MODEL 2100 P/N D000-031-012	EACH	2
SLEEVE, CRANE MODEL 2150 P/N D000-031-012	EACH	2
SLEEVE, CRANE MODEL 2100 P/N D000-031-012	EACH	10
SEAT, VALVE DISCHARGE WARREN RUPP MODEL SB1-A P/N 722-024-110	EACH	6
GO SWITCH "A"	EACH	4
SNUBBER, PRESSURE SS 1/4" NPT POROUS FILTER	EACH	4
ANALYZER, HARDNESS AUTOBURETTE MODULE	EACH	2
ISOLATOR, SIGNAL	EACH	1
ROD, TEFLON, PTFE 1-3/8" X 1 FT LONG, MCMaster-CARR #8546K27	EACH	1
CONNECTOR, ELECTRICAL, MALE, STRAIGHT, 4-PIN, MINI-CHANGE P/N 104002A01F120	EA	13
CHIP, TRANSMIT & RECEIVE 8 PIN PDIP	EACH	4
CONTACTOR, REVERSING WITH COIL	EACH	4
FUSE, CLASS T JJS 80 FAST ACTING	EACH	9
BUSHING, P/N C10002569	EACH	1
AMMETER, 0-1ADC 0-50MV	EACH	1
VOLTMETER, 01 MADC RANGE 01-20KV SCALE P/N VM-S12123-20KV	EACH	3
AMMETER, 0-5ADC 0-50MV	EACH	1
VOLTMETER, SPECIAL RANGE MARKED 0-10 VAC P/N VM-S1214310VAC	EACH	3
PANEL METER	EACH	2
BODY, 3/4" LB FORM 35, APPLETON # LB75M (NO SUBSTITUTION)	EA	30
HEATER, OVERLOAD	EACH	9
INJECTOR, PRIMARY CHAMBER BURNER P/N TL4067-C41-5	EACH	1
SPRING, P/N 780-027-025	EACH	8
SHIM, BEARING LABOUR PUMP PICK #231	EACH	1
SHIM, BEARING, .010	EACH	3
SHIM, BEARING, .040	EACH	3
WASHER, LOCK BEARING	EACH	3
PLATES, BLANK COVER SINGLE GANG IVORY IN COLOR	EACH	10
TUBE FITTING, PARKER, PART NUMBER 4-4F642EDMX	EACH	4
TUBE FITTING, PARKER, PART NUMBER 6F642EDMX	EACH	3
TUBE FITTING, PARKER, PART NUMBER 5-4F642EDMX	EACH	4
BUSHING, RED 2" X 1" SS	EA	3
COUPLING, SHAFT FLEXIBLE #3J-1/2X5/8	EACH	7
GAUGE, TEMPERATURE 30-130F 9" STEM	EACH	4
GAUGE, PRESSURE 0 - 3000 WEKSLER 4 1/2" ROYAL	EACH	3
GAUGE, PRESSURE 0-30 PSIG ASHCROFT P/N 45-1009S-02L-L-030	EACH	2

GAUGE,TEMPERATURE INDICATING,50-300, 4-1/2 STEM,REOTEMP.	EACH	1
NUT, YOKE 6" GATE VALVE NEWCO 13F-CB2	EACH	2
NUT, STEM 6" GATE VALVE NEWCO 13F-CB2	EACH	2
GAUGE, PRESSURE 0-100 PSIG ASHCROFT 45-1009S-L-04L-XNH-XDX-XOS	EACH	2
VALVE, SOLENOID ASCO 8210G38	EACH	1
SLEEVE, SHAFT P/N C86002571	EACH	1
THERMOMETER, 5" BIMETAL 50-550F 18" STEM	EACH	2
LINK, CONNECTING RC40	EACH	23
CHAIN, ROLLER RC40	EACH	8
SHAFT, VALVE ACTUATOR P/N R125533105	EACH	1
GAUGE, PRESSURE 0-200 PSI ASHCROFT 45-1009S-04L-XOS-XPD	EACH	2
GAUGE, PRESSURE 0-200 PSI	EACH	1
CAPACITOR, 1000 PF 10 KV P/N CAP-UTC-09-1000	EACH	1
COUNTER, ELECTRIC 120VAC PB RESET P/N CTR-4441314406	EACH	1
COUNTER, DRIVE DIAL 3 DIGIT W/KNOB P/N CTR-KT-CD-2	EACH	1
TIMER, 20-200 SECOND 120V,60HZ	EACH	2
CAPACITOR, .02 MF 1 KVDC CERAMIC DISC P/N CAP-5GAS10	EACH	1
CAPACITOR, .02 MF 1 KVDC CERAMIC DISC P/N CAP-5GAS20	EACH	1
CAPACITOR, 150 PF 6 KV CERAMIC P/N CAP-100P-6KV	EACH	1
PLATE, WALL, 250V RECEPTACLE COVER, SINGLE GANG	EA	1
CAPACITOR, 500 PF 15 KVDC CERAMIC DISC P/N CAP-150GAT50	EACH	3
CAPACITOR, BYPASS P/N CAP-10010	EACH	5
CAPACITOR, ELECTROLYTIC 2MFD 450VDC P/N CAP-2M-450V	EACH	1
CAPACITOR, 6800 PF 3.5 KV P/N CAP-TUC-857	EACH	3
CAPACITOR, 100 PF 15 KV CER DOORKNOB P/N CAP-HT57Y101MA	EACH	4
CAPACITOR, 200 PF 15 KV CER DOORKNOB P/N CAP-HT57Y201MA	EACH	3
CAPACITOR, DUAL ELECTROLYTIC 50-50MFD P/N CAP-40-40M/250V	EACH	1
CAPACITOR, 50 PF 15 KV CER DOORKNOB P/N CAP-HT57Y500MA	EACH	2
VALVE, BALL 1/2" FNPT X SOCKET-WELD 316 SS CLASS 150 OVAL HANDLE	EACH	8
CONNECTOR FEMALE L16-30 480 VAC THREE POLE FOUR WIRE	EACH	20
VALVE, 3 WAY, SWAGELOK # SS-63XTF4-F8-NL-L1	EA	1
FITTING, HYD 1/2"F JIC 37DEG 43 SERIES	EACH	5
KIT, SEAT AND SEAL FOR 3/4" ITT CAMTITE BELLOWSEAL BALL VALVE	EACH	3
VALVE, SOLENOID 3/8" NPT P/N SV-6211C-211	EACH	2
VALVE, SOLENOID 3/4" NPT 2-WAY NORMALLY OPEN 120 VAC ASCO 8210	EACH	2
VALVE, BALL 1/4" NPT	EACH	2
VALVE, BALL 3/4"	EACH	1
VALVE, BALL 3/4" FLANGE W/ACTUATOR	EACH	1
VALVE, CHECK 2"	EACH	2
BRACKET, BLOCK VALVE SUPPORT, PER DRAWING AQS-0071	EA	4
VALVE, 4-WAY P/N 80990000	EACH	1
VALVE, SPEED CONTROL 1/4"NPT P/N SCV-F4008	EACH	2
VALVE, SPEED CONTROL 1/2"NPT P/N SCV-F800B	EACH	2
VALVE, PRESSURE RELEASE P/N 3CRX45-YD-115AC	EACH	2
VALVE, 3/4" NPT ELECTRICAL PRESSURE P/N 31830-BWP	EACH	1
KIT, REPAIR AGCO L18 RELIEF VALVE	EACH	4
ACTUATOR, VALVE SOLENOID	EACH	1

INDICATOR, FLOW GLASS	EACH	1
INDICATOR, FLOW GLASS	EACH	1
INDICATOR, FLOW GLASS	EACH	1
INDICATOR, CLOGGING	EACH	13
STRAINER,	EACH	3
BASKET FOR BDS-FILT-101/102	EA	2
BASKET, STRAINER 2" DUPLEX HASTELLOY	EACH	6
KIT, GASKET P/N 97-080034-66	EACH	1
REGULATOR, PRESSURE P/N RV1001	EACH	1
VALVE, 1-1/2" NPT ELECTRIC REGULATED PRESSURE P/N 31861-BWP	EACH	2
GAUGE, PRESSURE 0-100 PSI #45-1279S-0	EACH	3
GAUGE, PRESSURE -30" TO 0" HG	EACH	4
GAUGE, PRESSURE, 0-200, PSI ASCHROFT 45-1279-SS-04L-XTS-200	EACH	3
GAUGE ASHCROFT PART NO 50 1008S 01B XFF 0 100 PSI	EA	2
GAUGE, PRESSURE, 0-600PSI, 4 1/2", SS CASE	EACH	1
GAUGE, PRESSURE DIFFERENTIAL, DWYER MODEL 2002	EACH	2
GAUGE, PRESSURE 0-200" WC SDVHTOGT 45-1188-SS-04L-XXX-2000	EACH	3
GAUGE, PRESSURE 0-15 PSIG	EACH	2
GAUGE, PRESSURE 0-160 PSI WEKSLER AA442 1/2" M-NPT BOTTOM	EACH	7
GAUGE, TEMPERATURE INDICATOR, 30-300-DEG-F RANGE	EA	2
GAUGE, DIFFERENTIAL PRESSURE MAGNEHELIC -2/0/+2 IN	EACH	1
GAUGE, PRESSURE 0-200 PSI WITH 3/4" RF FLANGE SEAL WEKSLER AY44-2PH2LW	EACH	1
SEAT, BALL CHECK	EACH	8
SEAT, BALL CHECK P/N 722-026-580	EACH	2
BEARING, P/N 070-012-170	EACH	8
KIT, REPAIR SOLENOID VALVE ATKOMATIC K\31830-200PBAA1WP LIC FURNACE	EACH	4
KIT, SURFACE MOUNT FOR EAGLE HP5 RELAY HP50-133 MPR PURGE RELAY	EACH	2
FILTER, CARTRIGE WATER, KX5 MICRON	EACH	8
SWITCH, PROXIMITY SENSOR 10 MM RANGE TURCK BI10-P30SK-AP6X2 W/B1141 CONN	EACH	12
SWITCH, PRESSURE P/N 6NN-K3-N3-C2A-YY-TT	EACH	2
SWITCH, PRESSURE W/DIAPHRAGM SEAL P/N B461-S-XG9-XFS-100	EACH	2
SWITCH, PRESSURE 0-200 PSIG SINGLE SET POINT ASHCROFT G-SERIES	EACH	2
SWITCH, VACUUM 5-25 HG P/N 9016-GVG-1-J13	EACH	1
SENSOR, TEMPERATURE/R.H.	EACH	1
SENSOR, ULTRASONIC P/N 800GEEX-001	EACH	1
RELAY, TIME DELAY !!USE I.C. 16990 FIRST!!	EACH	2
TRANSFORMER, VARIABLE 240V IN 0-280V OUT 2.1KVA POWERSTAT	EACH	6
RELAY, CONTROL DPDT 120V 8 PIN P/N CR-KRPA11AG120	EACH	4
RELAY, TIME DELAY 120V 1-10 SEC	EACH	2
RELAY, TIME DELAY 120V 1-10 SEC	EACH	1
I/P MODULE 4-20 MA	EA	1
DETECTOR ACCESSORY, DUCT SMOKE REMOTE TEST STATION WITH KEY	EA	4
CONTROLLER, TEMPERATURE	EACH	6
FAN, MOTOR COOLING	EACH	2
T-BOLT, ASSY 1" HAYWARD STRAINER MODEL50	EACH	4
YOKE, 1" HAYWARD STRAINER MODEL 50	EACH	4
TERMINALS, BLOCK SPADE NYLON INSULATED SIZE 16-14 #10	PKG	2

TERMINALS,BLOCK SPADE NYLON INSULATED SIZE 12-10 #10	PKG	2
CARTRIDGE, SHRINK TUBE .125" BLACK ON WHITE	EA	1
CARTRIDGE, SHRINK TUBE .25" BLACK ON WHITE	EA	2
BLOCK, FUSE 100A 600V	EACH	2
CAPACITOR, 500MFD 25VDC	EACH	5
CAPACITOR, MOTOR, 4.0 MFD, 370 VAC	EACH	5
CAPACITOR, .02 MFD 600V PAPER P/N CAP-02-600V	EACH	1
CAPACITOR, ELECTROLYTIC 300MFD 150V P/N CAP-WBR300150	EACH	1
BREAKER, CIRCUIT 15A 240V 1P	EACH	10
CAPACITOR, 500 PF 15KV CER DOORKNOB P/N HT57Y501MA	EACH	2
TRANSMITTER, REMOTE FLOW P/N RFT-9712-1-P-N-U	EACH	2
TOTALIZER, DIGITAL RATE W/ ACCESSORIES P/NDRT-1-R-50EA	EACH	2
FILTER, BAG NYLON MONOFILAMENT 600 MICRON SIZE	EACH	40
VALVE, PRESSURE REGULATOR P/N 95H-23 W/OPTION #T7A (GAS)	EACH	2
REGULATOR, PRESSURE	EACH	2
FILTER, HEPA	EACH	8
BREATHER, LABOUR PUMP P#236	EACH	2
FILTER, COMPRESSOR	EACH	3
FILTER, OIL, NAPA 1551 (OR EQUIV.) FOR IRONWORKER MACHINE IN SHOP	EA	2
FILTER, OIL	EACH	4
PRIMER/CLEANER, FOR CPVC PIPING 8-OUNCE CAN	EACH	2
KEY STOCK HIGH C/S 5/16" SQ. X 12" LONG, 5/PKG	PKG	2
LAMP, INCANDESCENT, MED BASE LOW VOLTAGE 75W 12VOLT	CASE	18
FUSE, 10A 125V FNA-10	EACH	2
VALVE, RELIEF	EACH	6
O-RING, JERGUSON LEVEL GAGE OR2-150	EACH	2
O-RING, JERGUSON LEVEL GAGE OR2-109	EACH	2
RELAY, OMRON MY4	EACH	2
RELAY, DPDT PLUG-IN TUBULAR SQUARE D	EACH	2
RELAY, TIME DELAY 0.3-30 SECONDS SQUARE D # 9050-JK22-V20	EACH	2
BLOCK, TERMINAL W/BARRIERS SQUARE D # 9080-GR6	EACH	2
LIGHT, PILOT RED SQUARE D # XVP-C34/WDL1BEG BULB	EACH	2
PUSHBUTTON, MOMENTARY SQUARE D # 9001-KR-1-B-H5	EACH	2
BASE UNIT, SQUARE D # XVP-C21	EACH	2
NOZZLE, SPRAY 1/4" NPT 30 DEGREE	EACH	1
PLUG, ELECTRICAL, UL LISTED, 2P 3 WIRE, 50 AMP, 125VAC, FEMALE	EACH	2
CABLE, SAFETY, HOSE TO HOSE, 1/8", 20 1/4"OAL, FOR HOSE ID 1/2 TO 1 1/4"	EA	10
MANIFEST, NON-HAZARDOUS CF14 FORM	CASE	2
CHAIN, ROLLER COTTERED TYPE HIGH SIDE BARS STEEL BUSHED	EACH	200
CHAIN, ROLLER COTTERED TYPE HIGH SIDE BARS STEEL BUSHED	EACH	200
ROLLER, 4" DIA x 44-1/2" LG W/80A17 P/N 8651-3	EACH	20
TUBES,4" DIA.,.92"L X 5\16" THICK WALL, 3 5\16" I.D.	EACH	47
BLOCK, SLIDER SLIP, CHAIN SERIES 5 UHMW	EACH	20
ROLLER, 4" DIA. X 42-3/4" LONG W/TWO 80A217 SPROCKETS	EACH	20
ROLLER, 4" DIA. X 42-3/4" LONG W/O SPROCKETS	EACH	2
VALVE, SOLENOID 4-WAY	EACH	11
VALVE, DIRECTIONAL CONTROL P/N F3-PBDG4S4L-016C-B-60	EACH	9

VALVE, DIRECTIONAL CONTROL P/N F3-PBDG4S4-L-012C-B-60	EACH	4
CLAMP, 3/4" TUBING P/N CCT-12	EACH	50
CORD GRIP, STANDARD, MESH EXTENSION, .88" - 1.0" DIA.	EA	2
SWITCH, LIMIT SIDE ROTARY P/N E50BR1	EACH	2
SWITCH, LIMIT R15I P/N E50BT3	EACH	2
SWITCH, LIMIT OPERATOR ARM (ADJ.) NYLON ROLLER P/N E50KL443	EACH	2
SWITCH, PRESSURE NEMA 4X P/N 836-C9S	EACH	2
VALVE, CHECK IN-LINE P/N CBGA-LHN-HCM/S	EACH	1
VALVE, CHECK P/N 0-811-020-027	EACH	1
VALVE, CHECK IN-LINE P/N CBGA-LHN-HCM	EACH	1
VALVE, CHECK	EACH	1
VALVE, CHECK HYCON #RV30-1.5/525	EACH	1
VALVE, SOLENOID 4-WAY 3-POSITION VICKERS #F3PBDG4S4L-016C	EACH	5
VALVE, SOLENOID 4-WAY	EACH	2
VALVE, FOUR WAY P/N 9810-230-303	EACH	1
VALVE, FOUR WAY P/N 9-810-235-611	EACH	1
VALVE, FOUR WAY P/N 9-810-231-335	EACH	1
VALVE, FOUR WAY P/N 9-810-232-202	EACH	1
VALVE, HYD DIRECTIONAL CONTROL VICKERS F3-DG5S4-04-2C-T-M-FPB	EACH	6
VALVE, DIRECTIONAL CONTROL P/N F3-PDBG4S4L-016C-B-60	EACH	2
CYLINDER, HYD P/N 2-1/2-CBB2HSKTV14ACX5.50 SPECIAL	EACH	1
CYLINDER, HYD 2-1/2" BORE X 5-1/2 STROKE	EACH	4
FILTER, AIR 3/4" NPT	EACH	3
BRICK, REFRACTORY RUBY SR DOME SHAPE D-13552-1, S01	EACH	87
BRICK, REFRACTORY RUBY SR 9" X 6" X (3"-1") #4 ARCH, ED07	EACH	196
BRICK, REFRACTORY RUBY SR 9" X 4-1/2" X 3" #4 KEY, E06	EA	23
BRICK, SPECIAL FLOOR SHAPE D-11653-19, RUBY SR, ITEM E13	EACH	101
BRICK, SPECIAL FLOOR SHAPE D-11653-20, RUBY SR, ITEM E12	EACH	87
BRICK, SPECIAL SKEW SHAPE #86-1012, RUBY SR, ITEM E11	EACH	76
BRICK, REFRACTORY SR-90 9" X 4-1/2" X 3" #3 ARCH, C03 P22	EACH	435
BRICK, REFRACTORY RUBY SR 9" X 4-1/2" X 3" #2 ARCH, ED02 S25	EACH	287
BRICK, REFRACTORY RUBY SR SPECIAL CAP SHAPE, E16	EACH	2
BRICK, REFRACTORY RUBY SR SIGHT PORT SHAPE D-13559-16, S16	EACH	2
BRICK, REFRACTORY RUBY SR SIGHT PORT SHAPE D-13559-15, S15	EACH	1
BRICK, RUBY SR #3 ARCH, 9" X 6" X 3", ITEM S30	EACH	203
BRICK, KORUNDAL XD, 9" X 9" X 3", NO.1 WEDGE	EA	70
BRICK, REFRACTORY, 9" X 4.5" X 3", #1 ARCH	EA	60
BRICK, REFRACTORY SR-90 9" X 4-1/2" X 3" STRAIGHT, P24	EACH	113
BRICK, REFRACTORY SR-90 CAMERA PORT PLUG D-13547-16, P16	EACH	6
BRICK, REFRACTORY SR-90 CIRCLE BRICK B9940301 4" HEIGHT, P09	EACH	334
BRICK, REFRACTORY SR-90 CIRCLE BRICK B9940301 4" HEIGHT, P09	EACH	139
BRICK, REFRACTORY, 9 IN. X 4.5 IN. X 3 IN. STRAIGHTS KALA	EA	46
BRICK, REFRACTORY SR-90 INSTRUMENT CONNECTION SHAPE D-11651-25, P21	EACH	4
BRICK, REFRACTORY SR-90 CIRCLE BRICK B9940301 4" HEIGHT, P09	EACH	240
BRICK, REFRACTORY RUBY SR SPECIAL NOZZLE SHAPE #86-1011, E17	EACH	3
BRICK, RUBY SR DOME PLUG, D-13552-9, S09	EACH	2
BRICK, REFRACTORY RUBY SR DOME PLUG D-13552-9, S09	EACH	1

BRICK, REFRACTORY RUBY SR SIGHT PORT SHAPE D-13559-15, S15	EACH	1
RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT	EA	80
BRICK, RUBY SR #3 ARCH, 9" X 6" X 3", ITEM S30	EACH	355
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	143
RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT	EA	140
BRICK, REFRACTORY RUBY SR SIGHT PORT SHAPE D-13559-13, S13	EACH	2
BRICK, RUBY SR #3 ARCH, 9" X 6" X 3", ITEM S30	EACH	289
BRICK, REFRACTORY RUBY SR CAMERA PORT SHAPE D-13559-17, S17	EACH	4
BRICK, REFRACTORY RUBY SR CAMERA PORT SHAPE D-13559-18, S18	EACH	4
BRICK, RUBY SR/C/D-11651-39 27X4 1/2X(6.031-4.621)/BEVEL	EACH	41
BRICK, REFRACTORY RUBY SR SPECIAL ARCH D-11651-39, S23	EA	20
RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT	EA	144
BRICK, REFRACTORY RUBY SR SPECIAL SHAPE TT-E7 WITH 5-1/2" HOLE	EA	91
RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT	EA	61
RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT	EA	144
RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT	EA	144
FILTER, 24X24X12 85% HVAC BAG D85124412	EACH	20
FILTER, AIR 12X24X1	EACH	18
FILTER, 10" X 20" X 1"	EACH	86
FILTER, AIR 14X30X1	EACH	18
REPLACEMENT ROLLER ONLY	EACH	1
FRESHENER, AIR, RESTROOM MISTER REFILL CLEAN & FRESH	CASE	19
BAG, FILTER ROSEDALE # PE25P4S.	EACH	94
BAG, FILTER ROSEDALE # PE104S.	EACH	93
FILTER, ROUGHING 20X10X1, 30%	EACH	201
FILTER, AIR PREFILTER 24 X 24 X 2" DISPOSABLE	EACH	6
FILTERS, 20" X 24" X 2" 30%	EACH	20
FILTER, BAG 85% P/N D85062412	EACH	16
FILTERS, 24" X 24" X 1" 30%	EACH	32
FILTER, PRE 24 X 24 X 6 1/2" 85%	EACH	29
RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT	EA	144
BRICK, RUBY SR #2 ARCH, 9" X 6" X 3", ITEM S31	EACH	272
BRICK, RUBY SR #2 ARCH, 9" X 6" X 3", ITEM S31	EACH	272
BRICK, RUBY SR #2 ARCH, 9" X 6" X 3", ITEM S31	EACH	272
BRICK, RUBY SR #2 ARCH, 9" X 6" X 3", ITEM S31	EACH	272
BRICK, REFRACTORY RUBY LW 9" X 6" X 3" #2 ARCH, S44 E01	EACH	272
BRICK, REFRACTORY RUBY LW 9" X 6" X 3" #2 ARCH, S44 E01	EACH	272
BRICK, RUBY SR #2 ARCH, 9" X 6" X 3", ITEM S31	EACH	62
BRICK, REFRACTORY RUBY LW 9" X 6" X 3" #2 ARCH, S44 E01	EACH	272
BRICK, RUBY SR #2 ARCH, 9" X 6" X 3", ITEM S31	EACH	182
BRICK, REFRACTORY RUBY LW 13-1/2" X 9" X 3" #2 WEDGE, E19	EA	13
BRICK, REFRACTORY RUBY LW 9" X 6" X 3" #2 ARCH, S44 E01	EACH	272
BRICK, #1 ARCH 9" X 4 1/2" X 3", RUBY ITEM E03 PBCDF 32260	EACH	124
BRICK, REFRACTORY RUBY LW 9" X 6" X 3" #1 ARCH, S45	EA	264
BRICK, #2 ARCH 9" X 4 1/2" X 3", RUBY LW, ITEM E04	EACH	173
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" STRAIGHT, ED04	EACH	126
BRICK, REFRACTORY RUBY LW 9" X 6" X 3" #2 ARCH, S44 E01	EA	269

BRICK, REFRACTORY RUBY LW 9" X 4-1/2" X 3" #2 ARCH, E04	EACH	439
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #1 WEDGE, ED08	EACH	159
BRICK, REFRACTORY RUBY LW 9" X 4-1/2" X 3" #2 ARCH, E04	EA	185
BRICK, REFRACTORY RUBY LW 13-1/2" X 9" X 3" #3 WEDGE, E20	EA	48
BRICK, REFRACTORY RUBY LW 9" X 6" X 3" #3 ARCH, S81 E02	EA	151
BRICK, REFRACTORY RUBY LW 9" X 6" X 3" #2 ARCH, S44 E01	EA	55
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #1 ARCH, ED18 S71	EA	600
KAOWOOL, BOARD, 2600 SHAPE D-13552-60, PBCDF 32207	EACH	33
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #1 ARCH, ED18 S71	EA	360
KAOWOOL, BOARD, 2600 SHAPE D-13552-60, PBCDF 32207	EACH	33
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #3 ARCH, ED20	EACH	220
REFRACTORY, RUBY #20 PLASTIC RAM 55 #/PAIL, S79	PAIL	10
BRICK, REFRACTORY K-23 IFB NOZZLE SLEEVE 6531-205, E21	EACH	3
BRICK, REFRACTORY, EMPIRE SM, 9X4.5X2.5 #2 ARCH	EACH	137
BRICK, REFRACTORY K-23 IFB 9" X 6" X 3" #2 WEDGE, ED29	EACH	112
BRICK,K-30 IFB 9"X 6"X 3" , #3 ARCH (14/CTN)	EACH	84
BRICK,K-30 IFB 9"X 4 1/2"X 3" , #2 ARCH (20/CTN)	EACH	40
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #3 ARCH, ED20	EACH	30
BRICK, REFRACTORY K-23 IFB 9" X 6" X 3" #2 WEDGE, ED29	EACH	28
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 2-1/2" STRAIGHT, E22	EACH	25
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #1 WEDGE, ED22	EACH	20
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #4 ARCH, ED21	EACH	15
INSULATION, KAOWOOL 2600 BOARD SHAPE D-13548-46, P46	EACH	1119
INSULATION, KAOWOOL 700 GADE PAPER 1/8" TK 250 SF/ROLL, C17 P6	SQFT	1375
INSULATION, KAOWOOL 700 GADE PAPER 1/8" TK 250 SF/ROLL, C17 P6	CTN	2
REFRACTORY, HS BOARD, 36"X24"X1-1/2" , (24 SQ FT PER BOX)	SF	300
INSULATION, KAOWOOL 2600 BOARD SHAPE D-13548-47, P47	EACH	800
INSULATION, KAOWOOL HS 45 BOARDS SHAPE D-13549-5, C12 P45 S62	EA	569
INSULATION, KAOWOOL 2600 BOARD SHAPE D-13552-60, S60	EA	384
INSULATION, KAOWOOL 2600 BOARD SHAPE D-13552-60, S60	EA	726
INSULATION, KAOWOOL 2600 BOARD SHAPE D-13552-61, S61	EA	688
BRICK, REFRACTORY RUBY SR 13-1/2" X 6" X 3" STRAIGHT, S22	EA	26
MORTAR, REFRACTORY HIGH-TEMPERATURE DRY 50# BAG, C11 P41	BAG	13
BRICK, REFRACTORY K-20 9" X 4-1/2" X 3" #1 ARCH, C09 P38 S54	EACH	520
BRICK, REFRACTORY JM-30 IFB 9" X 6" X 3" #2 ARCH, C07 P34 S50	EACH	480
BRICK, REFRACTORY K-20 9" X 4-1/2" X 3" #1 ARCH, C09 P38 S54	EACH	460
BRICK, REFRACTORY JM-30 IFB 9" X 6" X 3" #2 ARCH, C07 P34 S50	EACH	480
BRICK, REFRACTORY JM-30 IFB 9" X 6" X 3" #2 ARCH, C07 P34 S50	EACH	480
BRICK, REFRACTORY JM-30 IFB 9" X 6" X 3" #2 ARCH, C07 P34 S50	EACH	480
BRICK, REFRACTORY JM-30 IFB 9" X 6" X 3" #2 ARCH, C07 P34 S50	EACH	384
BRICK, REFRACTORY JM-30 IFB 9" X 6" X 3" #3 ARCH, C06 P33	EACH	160
BRICK, REFRACTORY JM-30 IFB 9" X 6" X 3" #3 ARCH, C06 P33	EACH	480
BRICK, REFRACTORY JM-30 IFB 9" X 4-1/2 X 3" #1 ARCH, P57	EACH	160
BRICK, REFRACTORY JM-30 IFB 9" X 4-1/2" X 3" STRAIGHT , P35 S4	EA	120
BRICK, REFRACTORY JM-30 IFB SKEW SHAPE D-11651-12, P32	EACH	84
BRICK, REFRACTORY JM-30 IFB DOME SHAPE D-11651-6, P26	EACH	80
BRICK, REFRACTORY JM-30 IFB DOME SHAPE D-11651-7, P27	EACH	80



BRICK, REFRACTORY JM-30 IFB DOME SHAPE D-11651-5, PS25	EA	80
BRICK, REFRACTORY JM-30 IFB DOME SHAPE D-11651-10, P30	EACH	42
BRICK, REFRACTORY JM-30 IFB DOME SHAPE D-11651-8, P28	EACH	40
BRICK, REFRACTORY JM-30 IFB DOME SHAPE D-11651-9, PS25	EA	40
SWITCH, LIMIT HONEYWELL P/N 84CX2 DPDT 10A 120VAC EXPLOSION PROOF	EACH	1
COUPLING, FLEXIBLE DFS BLOWER 102	EACH	1
CLUTCH, AMERICAN AUTOGARD P/N201-AC-5S	EACH	1
CLUTCH, WARNER ELECTRIC P/N EM-210-10 90V DFS-PUMP-9000	EACH	3
ROLLER, CONTROL BOLDEN-ALLIS DWG 22-406-816-502 W/BUSHING & WASHER DFS	EACH	11
CLUTCH, OUTPUT WARNER ELECTRIC, EM-210-40 PN 5371 536-005 DFS-PUMP-9000	EACH	3
ROLLER, 7" HDC CHAIN HOLD DOWN P/N 22-407-832-801-# 8	EACH	1
PIN, GATE SUPPORT	EACH	1
CYLINDER, HYD 1-1/2" BORE X 25-1/4" STROKE	EACH	3
CRANK-ARM, CYLINDER FOR DFS-GATE-101 P/N AE-01-T-306 304SS	EACH	2
CYLINDER, CABLE PLNEUMATIC 3" BORE X 94" STROKE DFS BLAST DOOR	EACH	2
SHAFT, FLAPPER GATE	EACH	1
THERMOCOUPLE, DFS "K"14GA DUAL 132" RA-353MA 1"OD .25" WALL	EACH	16
CRANK-ARM, CYLINDER	EACH	5
TUBE, PROTECTION, THERMOWELL SUPPORT ASSEMBLY	EACH	16
BRICK, REFRACTORY JM-30 IFB 9" X 4-1/2" X 3" #2 ARCH, P56	EACH	60
BRICK, K-20 9"X 4 1/2"X 2 1/2", #1 ARCH (25/CTN)	EACH	42
BRICK, REFRACTORY JM-30 IFB 9" X 6" X 3" #1 ARCH, P55	EACH	48
BRICK, REFRACTORY JM-30 IFB DOME SHAPE D-11651-11, P31	EACH	10
BRICK, REFRACTORY K-20 IFB 9" X 4-1/2" X 3" #2 ARCH, C08 P37 S	EA	960
BRICK, REFRACTORY K-20 9" X 4-1/2" X 3" #1 ARCH, C09 P38 S54	EACH	960
BRICK, REFRACTORY K-20 9" X 4-1/2" X 3" #1 ARCH, C09 P38 S54	EACH	960
BRICK, REFRACTORY K-20 IFB 9" X 4-1/2" X 3" #2 ARCH, C08 P37 S	EA	720
BRICK, REFRACTORY K-20 9" X 4-1/2" X 3" #1 ARCH, C09 P38 S54	EACH	960
INSULATION, KAOWOOL 2600 BOARD SHAPE D-13552-61, S61	EA	657
INSULATION, KAOWOOL MILLBOARD 822 55" X 55" X 1/4", C14 ED31 P	EACH	14
INSULATION, KAOWOOL 2300 BULK "A" TO BE INSTALLED AT 10# DENSI	BOX	12
INSULATION, KAOWOOL 2300 BULK "A" TO BE INSTALLED AT 10# DENSI	BOX	12
INSULATION, KAOWOOL 2300 BULK "A" TO BE INSTALLED AT 10# DENSI	BOX	12
INSULATION, KAOWOOL 2300 BULK "A" TO BE INSTALLED AT 10# DENSI	BOX	10
KAOWOOL 2600 BOARD SHAPE D-13552-61	EA	192
KAOWOOL 2600 BOARD SHAPE D-13552-60	EA	128
BRICK, KAOWOOL 2600 BOARD SHAPE D-13548-46	EACH	109
KAOWOOL, BOARD, 2600 SHAPE D-13552-61, PBCDF 32208	EACH	56
INSULATION, 24 IN. X 36 IN, 3 INCH THICK CERAMIC FIBER BOARD 2300	EA	4
INSULATION, KAOWOOL 3000 PAPER 1/8" TK 100 SF/ROLL, C16 ED33 P	SQFT	600
KAOWOOL HS 45 BOARD SHAPE D-13549-5	EA	28
INSULATION, KAOWOOL 2600 SLEEVE D-13549-13, C13 ED30	EACH	27
BRICK, KORUNDAL XD, 12" X 9" X 3", NO.2	EA	136
BRICK, REFRACTORY SR-90 9" X 4-1/2" X 3" #2 ARCH, C04 P23	EACH	408
BRICK, KORUNDAL XD, 12" X 9" X 3", NO.2	EA	136
BRICK, KORUNDAL XD, 12" X 9" X 3", NO.2	EA	136
BRICK, KORUNDAL XD, 12" X 9" X 3", NO.2	EA	136

BRICK, KORUNDAL XD, 12" X 9" X 3", NO.2	EA	136
BRICK, KORUNDAL XD, 12" X 9" X 3", NO.2	EA	120
BRICK, REFRACTORY SR-90 9" X 4-1/2" X 3" #2 ARCH, C04 P23	EACH	268
REFRACTORY, SR-90, 9X4-1/2X3, #3 ARCH	EACH	273
BRICK, REFRACTORY INSALCOR 13-1/2" X 4-1/2" X 3" #1 ARCH, P40	EA	55
REFRACTORY, SR-90, 9X4-1/2X3, #3 ARCH	EACH	137
BRICK, REFRACTORY SR-90 DOME SHAPE D-11651-18, P02	EACH	38
BRICK, REFRACTORY CAMERA PORT SHAPE D-13547-58, P58	EACH	2
BRICK, REFRACTORY CAMERA PORT SHAPE D-13547-59, P59	EACH	2
BRICK, REFRACTORY INSALCOR 13-1/2" X 4-1/2" X 3" #1 ARCH, P40	EA	228
BRICK, KORUNDAL XD, 12" X 9" X 3", NO.3 WEDGE	EA	60
BRICK, REFRACTORY SR-90 DOME SHAPE D-11651-24, P08	EACH	41
BRICK, REFRACTORY SR-90 PILOT BRICK D-11651-49, P13	EACH	2
SR-90 CAMERA PORT PLUG D-13547-16, P16	EA	2
SR-90 CIRCLE BRICK B9940301 4" HEIGHT, P09	EA	109
BRICK, REFRACTORY SR-90 CAMERA PORT SHAPE D-13547-14, P14	EACH	2
BRICK, REFRACTORY SR-90 CAMERA PORT SHAPE D-13547-15, P15	EACH	2
BRICK, REFRACTORY SR-90 SIGHT PORT SHAPE D-13547-17, P17	EACH	1
BRICK, REFRACTORY SR-90 THERMOCOUPLE SHAPE D-13549-2, C02	EA	4
BRICK, SR-90 SIGHT PORT SHAPE D13547-18	EA	1
BRICK, REFRACTORY SR-90 DOME SHAPE D-11651-17, P01	EACH	47
BRICK, REFRACTORY SR-90 DOME SHAPE D-11651-19, P03	EACH	26
BRICK, REFRACTORY SR-90 DOME SHAPE D-11651-20, P04	EACH	21
BRICK, REFRACTORY SR-90 DOME SHAPE D-11651-21, P05	EACH	6
BRICK, REFRACTORY SR-90 DOME SHAPE D-11651-22, P06	EACH	5
BRICK, REFRACTORY SR-90 SPECIAL ARCH SHAPE D-11651-40, P11	EACH	10
BRICK, REFRACTORY SR-90 PILOT BRICK D-11651-48, P12	EACH	2
BRICK, REFRACTORY SR-90 SIGHT PORT SHAPE D-13547-19, P19	EACH	3
BRICK, REFRACTORY SR-90 THERMOCOUPLE SHAPE D-13549-1, C01	EA	12
BRICK, REFRACTORY SR-90 SIGHT PORT SHAPE D-13547-20, P20	EACH	2
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	140
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	140
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	140
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	140
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	140
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	112
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	144
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	112
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	117
BRICK, REFRACTORY RUBY SKEW SHAPE D-13552-11, S11	EA	112
SR-90 9"X 4-1/2"X 3" STRAIGHTS, P24	EA	10
BRICK, REFRACTORY RUBY SR CIRCLE BRICK D-13552-12-4" HEIGHT, S	EA	50
BRICK, REFRACTORY RUBY SR SIGHT PORT SHAPE D-13559-16, S16	EACH	1
BRICK, RUBY SR SIGHT PORT SHAPE, D-13559-14	EA	2
BRICK, REFRACTORY SR SPECIAL ARCH D-13552-29, S29	EA	27
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #3 ARCH, ED06 S30	EA	304
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #3 ARCH, ED06 S30	EA	912

BRICK, REFRACTORY RUBY SR BURNER SHAPE D-13559-20, S20	EA	14
BRICK, RUBY SR CAMERA PORT SHAPE, D-13559-17	EA	2
BRICK, RUBY SR CAMERA PORT SHAPE, D-13559-18	EA	2
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	204
BRICK, REFRACTORY RUBY SR BURNER BLOCK T THERMAL #6-01-094-C	EACH	8
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	206
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	204
BRICK, REFRACTORY RUBY SR CAMERA PLUG SHAPE D-13559-19, S19	EA	12
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	272
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	272
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	204
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	272
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	272
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	170
BRICK, REFRACTORY RUBY SR 9" X 4-1/2" X 3" #1 ARCH, ED01	EACH	91
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	272
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	272
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	210
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 ARCH, ED05 S31	EA	171
SILENCER, INLET	EACH	AA
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #3 WEDGE, ED10	EACH	52
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" STRAIGHT, ED04	EACH	78
BRICK, REFRACTORY RUBY SR 13-1/2" X 6" X 3" #2 ARCH, ED36	EACH	18
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #1 WEDGE, ED08	EACH	149
BRICK, REFRACTORY RUBY SR 13-1/2" X 4-1/2" X 3" #2 ARCH, ED13	EACH	101
BRICK, REFRACTORY RUBY SR 9" X 6" X 3" #2 WEDGE, ED09	EACH	130
BRICK, REFRACTORY RUBY SR 13-1/2" X 6" X 3" #3 ARCH, ED35	EACH	21
BRICK, REFRACTORY RUBY LW 9" X 6" X 3" #3 ARCH, S81 E02	EA	290
ACTUATOR, PNEUMATIC	EACH	AA
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #4 ARCH, ED21	EACH	80
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #2 WEDGE, ED23	EACH	113
BRICK, REFRACTORY K-23 IFB 9" X 6" X 3" #1 WEDGE, ED28	EACH	140
BRICK, REFRACTORY K-23 IFB 9" X 6" X 3" #1 ARCH, ED24	EACH	70
BRICK, REFRACTORY K-23 IFB 9" X 6" X 3" #2 ARCH, ED25	EACH	70
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #2 ARCH, ED19 S70	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #2 ARCH, ED19 S70	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #2 ARCH, ED19 S70	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #2 ARCH, ED19 S70	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #2 ARCH, ED19 S70	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #2 ARCH, ED19 S70	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #2 ARCH, ED19 S70	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #2 ARCH, ED19 S71	EA	820

BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #1 ARCH, ED18 S71	EA	960
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" #1 ARCH, ED18 S71	EA	700
NOZZLE, LV-14 AGENT GUN NOZZLE TIP INNER DRAINED	EACH	AA
ACTUATOR, VALVE SOLENOID P/N S598931048Z	EACH	AA
VALVE, PRESSURE CONTROL 3/4" NPT FISHER MODEL Y690H OR Y690AH	EACH	AA
VALVE, PRESSURE CONTROL 1.5" P/N Y692 ORFICE 3/4"	EACH	AA
VALVE, AUTO GAS SHUTOFF	EACH	AA
STARTER, MOTOR REVERSING	EACH	BA
INJECTOR, PRIMARY CHAMBER BURNER P/N TL4067-C41-4	EACH	BA
VALVE, SOLENOID 1" PILOT	EACH	BA
POSITIONER, VALVE P/N 3620J	EACH	BA
VALVE, AUTO SHUTOFF	EACH	BA
VALVE, RELIEF 150 PSI LIQUIFLO P/N RV1001 SDS FEED PUMP	EACH	BA
TRANSMITTER, TEMPERATURE P/N 3144PD1A1E5B4M5Q4 (OLD 3144CA1M5B	EACH	BA
TRANSMITTER, PRESSURE SMART P/N 1151DP7S12T0587M1B1	EACH	BA
TRANSMITTER, PRESSURE SMART P/N 1151GP4S12M1B1	EACH	BA
TRANSMITTER, PRESSURE SMART P/N 1151DP3S12M2B2	EACH	BA
SENSOR, P/N DS-040-H-999-SU	EACH	BA
VALVE, BALL 1/4", 2-WAY	EACH	BA
VALVE, BALL 1/4", 2-WAY	EACH	BA
SLEEVE, CABLE OVAL P/N 3572T7	EACH	4
SEAL, GEAR DRIVE P/N 703011	EACH	2
SEAL, PUMP SHAFT LEFT LOWER UNIT (KIT) P/N G3DB-250	EACH	2
SEAL, OIL, L.S. SHAFT P/N 45	EACH	3
KIT, SEAL P/N 455-0029-5	EACH	2
INSERT, AIR BAG WITH NOZZLE	EACH	1
THERMOSTAT, 600V FOR LIFT POWER UNIT TANK P/N 08-02900-132	EACH	1
COUPLING, SHAFT P/N L150	EACH	1
PUMP, REVERSIBLE P/N 637968	EACH	2
RING, RETAINING P/N 5100-50	EACH	1
WASHER, SPHERICAL	EACH	2
UNIT, EXPANSION FOR PLC P/N 1745-E105	EACH	1
STARTER, MOTOR ELECTRICAL INTERLOCK NO MOTOR P/N 49AAFC	EACH	1
STARTER, MOTOR ELECTRICAL INTERLOCK NO P/N 49AAFO	EACH	1
ROD, 1" DIAMETER PTFE, 1'LONG, MCMaster-CARR P/N 8546K16	FT	1
SWITCH, PROXIMITY P/N 704002	EACH	2
COIL, P/N 208200	EACH	1
COIL, MOTOR STARTER P/N 75D73251A	EACH	1
CONTACTOR, REVERSING CLASS 9999 TYPE R13	EACH	3
STARTER, MOTOR P/N 100-A38ND3	EACH	1
STARTER, MOTOR SINGLE POLE (KIT)P/N 75IF14	EACH	4
COLLAR, LOCK P/N 22-124-247-003	EACH	2
COLLAR, FURNACE P/N TL4067-D42-6	EACH	1
KIT, REPAIR, FOR FSI FILTER ASSEMBLY FOR FSPN-40	EA	3
GEAR, SPUR 1-1/2 BK2SS P/N YSS840	EACH	1
SPRING, MEDIUM PRESSURE P/N: 9-4012-11	EACH	2
PLATE, ADAPTER P/N D-D05-D08-VA-AB	EACH	1

PLATE, ADAPTER P/N D-D03-D08-VA-AB	EACH	1
PRESSURE SWITCH 0-60 PSI	EACH	1
LATCH, HORIZONTAL RECEIVER	EACH	3
GAUGE, PRESSURE 0-60 PSI P/N 702002	EACH	3
GAUGE, PRESSURE 0-1 PSI #42-124-133-001	EACH	2
GAUGE, PRESSURE 0-60 IN WC #42-124-133-002	EACH	1
SPROCKET, 21T RC50 1-1/2" BORE BK2SS P/N 50B21	EACH	2
BEARING, CAM FOLLOWER P/N CCYR-1-5/8-S	EACH	5
BEARING, PUMP P/N 015	EACH	2
BEARING, REGREASABLE P/N 416821-2D SIZE 203	EACH	2
BEARING, REGREASABLE P/N 416821-2F SIZE 205	EACH	2
BEARING, SEALED P/N 6203-2RS	EACH	2
BEARING, REGREASABLE P/N 416821-3FP SIZE 313	EACH	3
BEARING, 1-3/4" SHAFT SIZE 4 BOLT FLANGE	EACH	4
BELT, V-DRIVE P/N 5V7106 SET 5VSEC5	EACH	2
SWITCH, LIMIT, ALLEN-BRADLEY P/N 802T-AP	EACH	1
SWITCH, MICRO P/N LSA3K	EACH	2
SWITCH, PRESSURE 190-600 PSI	EACH	3
SWITCH, EMERGENCY OPEN P/N SKR4H6	EACH	1
SENSOR, MAGNETIC (DRIVE) P/N 704005	EACH	3
STARTER, MOTOR W/OVERLOAD RELAY P/N 193-CPC45	EACH	1
TRANSFORMER, 220/440-110V 1KVA	EACH	1
RELAY, OVERLOAD CLASS 9065 TYPE TR1.4	EACH	1
RELAY, OVERLOAD CLASS 9065 TYPE TR1.4	EACH	2
RELAY, OVERLOAD STARTER MOTOR P/N H51	EACH	3
RELAY, OVERLOAD STARTER MOTOR P/N 48IC31AA3	EACH	2
MODULE, DUAL FLOW CONTROL P/N NCEB-LCV-DBY	EACH	1
CONTROLLER, JOY STICK P/N MJ7122-1100	EACH	1
BUMPER, 02-CHB-TRAY-101/154 RC P/N # M92	EACH	4
FUSE, 5A 250V FNM-5	EACH	2
BREAKER, CIRCUIT 60A 480V 3P C-H EHD3060L S#6638C94G92 P/N EHD	EACH	1
CAPACITOR, ELECTROLYTIC 25 WVDC P/N TCG102V025NIC	EACH	2
BEARING, CAM FOLLOWER	EACH	4
VALVE, FLOW CONTROL CARTRIDGE	EACH	3
VALVE, FLOW CONTROL, D05 MODULE	EACH	3
PLATE, ORIFICE 6COSE/.663	EACH	1
VALVE, NEEDLE IN-LINE	EACH	1
VALVE, BALL P/N BVM-1250S	EACH	1
SEAL, VALVE STACK (KIT) P/N 703010	EACH	4
VALVE, SHUT OFF	EACH	2
VALVE, SHUT-OFF 2" W/LOCKING DEVILE P/N B-020-6166-16	EACH	2
VALVE, SHUT-OFF 3" W/LOCKING DEVICE P/N B-030-6166-16	EACH	2
VALVE, SHUT-OFF P/N 73-104-19	EACH	1
VALVE, CHECK	EACH	1
VALVE, STACK	EACH	5
VALVE, IN-LINE SHUTTLE P/N CSAA-EXN-GA1	EACH	1
CYLINDER, ENERPAC PULL P/N RWP-31	EACH	1

CYLINDER, HYD 2-1/2" BORE X 10" STROKE	EACH	4
TRANSMITTER, PRESSURE P/N 42-124-056	EACH	2
TRANSMITTER, TEMPERATURE P/N 42-124-053-001	EACH	2
TRANSMITTER, PRESSURE P/N 42-124-057	EACH	1
TRANSMITTER, PRESSURE DIFFERENTIAL P/N 42-124-126	EACH	1
TRANSMITTER, TEMPERATURE P/N 42-124-068-001	EACH	1
ROPE, WIRE TILLER 0.188 DIA. SS	EACH	1
HOOK, LIFTING P/N 3464T12	EACH	2
VALVE, REGULATOR/LUBRICATOR	EACH	2
VALVE, FLOW CONTROL	EACH	5
SYRINGE, 10CC TB LUER SLIP	BOX	2
ELEMENT, PALL F7F FILTER 3 MICRON P/N 703015	EACH	2
FILTER, RETURN P/N SP50-SAHV-1-T1-15P	EACH	1
FILTER, RETURN P/N SP50-SHV-1-T1-15P	EACH	1
BOLT, P/N 940029	EACH	4
SCREW, MACHINE P/N 940022	EACH	3
PUSHBUTTON, JUMBO 2-1/4" GREEN P/N 800H-DR1JD1	EACH	1
PUSHBUTTON, JUMBO 2-1/4" RED P/N 800H-DR2JD1	EACH	1
PUSHBUTTON, JUMBO 2-1/4" BLACK P/N 800H-DR2JD1	EACH	2
PUSHBUTTON, STOP RED P/N SK2L1R20H13	EACH	1
PUSHBUTTON, OPEN/CLOSE, GREEN P/N SK2L1G20H13	EACH	2
RACK MOUNT KIT FOR DELL 19 IN MONITOR	EA	1
REGULATOR,SWAGelok WITH OUT GAUGE.	EACH	2
AIR BAG ASSEMBLY, 11'-2"	EACH	1
AIR BAG ASSEMBLY, 11'-6"	AY	2
END CAP ASSEMBLY	AY	4
KIT, PATCH, AIR BAG, P/N 763001	EACH	2
SNMP, STACKABLE FOR HUB P/N LE2850A	EACH	1
EXPANDER, 1-1/2", RESISTOFLEX P/N# R29620-024-1	EA	4
BLADE, SAW, 14"DIA, 1" BORE, 66 SAW TEETH, 3/32" BLADE KERF, CS	EACH	1
GASKET, P/N G-9-S A366	EACH	768
TRANSMITTER, P/N 072227300	EACH	2
TRANSMITTER, P/N 072227300	EACH	2
TRANSMITTER, P/N 072227300	EACH	1
AIRBAG ASSEMBLY, 16'-2.00" LONG AHS 702018 CHB CONVEYOR	EACH	3
AIRBAG ASSEMBLY, 11'-7.40" LONG AHS 701019 CHB CONVEYOR	EACH	1
AIRBAG ASSEMBLY,	EACH	1
AIRBAG ASSEMBLY, 8'-2.50"	EACH	1
AIRBAG ASSEMBLY, 11'-8.75"	EACH	1
AIRBAG ASSEMBLY, 17'-2.37"	EACH	1
AIRBAG ASSEMBLY, 6'-1.12"	EACH	1
AIRBAG ASSEMBLY, 5'-7.12"	EACH	1
AIRBAG ASSEMBLY, 14'-11.00" LONG AHS 702030 CHB CONVEYOR	EACH	1
AIRBAG ASSEMBLY, 12'-10.25" LONG AHS 702013 CHB CONVEYOR	EACH	1
AIRBAG ASSEMBLY, 5'-6.00" LONG AHS 702045 CHB CONVEYOR	EACH	1
AIRBAG ASSEMBLY, 19'-3.00" LONG AHS 702039 CHB CONVEYOR	EACH	1
AIRBAG ASSEMBLY, 8'-5.50"	EACH	1

AIRBAG ASSEMBLY, 1'-2.00"	EACH	1
AIRBAG ASSEMBLY, 19'-3.00"	EACH	1
AIRBAG ASSEMBLY, 8'-8.37"	EACH	1
AIRBAG ASSEMBLY,	EACH	1
AIRBAG ASSEMBLY, 1'-7.00"	EACH	1
AIRBAG ASSEMBLY, 2'-2.00"	EACH	1
AIRBAG ASSEMBLY, 12'-4.75"	EACH	1
AIRBAG ASSEMBLY, 27'-1.00"	EACH	1
AIRBAG ASSEMBLY, 2'-6.37"	EACH	1
AIRBAG ASSEMBLY,	EACH	1
AIRBAG ASSEMBLY, 11'-9.87"	EACH	1
CGB, 1", P/N 154326	EA	1
BASKET, STRAINER 4" DUPLEX STAINLESS	EACH	4
FILTER, HYDROCARBON	EACH	30
BEARING, ADAPTER	EACH	19
JOINT, EXPANSION NON-METALIC 8" ID	EACH	2
JOINT, EXPANSION NON-METALIC 8x6	EACH	2
PUMP, HYDRAULIC PVWH-15-RDRY-C25N-TK-CP	EACH	1
MOTOR, HYDRAULIC	EACH	1
MOTOR, HYDRAULIC	EACH	1
CHAIN, ROLLER RC80 73" LONG W/CONN LINK	EACH	1
BRAKE, HOLDING P/N 29697	EACH	1
ROLLER, P/N 526-0003-8	EACH	2
BOLT, P/N 940029	EACH	3
VALVE, JOYSTICK P/N VAL5210-0004-0	EACH	1
GASKET, 60 DURO BUNA-N STRIP 3/16" THICK	EACH	1
HOSE, RUBBER P/N 461-0086-0	EACH	2
HOSE, RUBBER P/N 462-0052-0	EACH	2
HOSE, RUBBER P/N 462-0054-0	EACH	2
HOSE, RUBBER P/N 462-0056-0	EACH	2
HOSE, ASSEMBLY GH781-8 WITH FEMALE FITTINGS	EACH	5
HOSE, RUBBER P/N 461-0087-0	EACH	1
HOSE, RUBBER P/N 462-0057-0	EACH	1
HOSE, ASSEMBLY GH781-6 WITH FEMALE FITTINGS 1AA6FJ6	EACH	5
FILTER, RETURN P/N MF-1MS7-P-DS	EACH	1
ENCLOSURE, NEMA 4X W/TERMINAL STRIP P/N 704028	EACH	1
KIT, REPAIR P/N 703012	EACH	1
KIT, WET END CRANE MODEL 2100 P/N D000-034-008	EACH	59
INTERFACE, PC SLC-150 PROGRAMMABLE CONTROLLER P/N 1745-PCK	EACH	1
CONNECTOR, STRAIGHT 5/16" O.T.- 5/16 P/N 773007	EACH	5
ROLLER, CHANNEL ASSEMBLY, MARK 17	EACH	4
CHANNEL, MAIN, MARK 17	EACH	25
PLATE ASSEMBLY, TOP, MARK 4 CHB CONVEYOR P/N 741025A	EACH	4
PLATE ASSEMBLY, TOP, MARK 17 CONVEYORS, P/N 981009A	EACH	4
BRICK, REFRACTORY K-23 IFB 9" X 4-1/2" X 3" STRAIGHT, ED17	EACH	190
BRICK, REFRACTORY K-23 IFB 9" X 6" X 3" #3 ARCH, ED26	EACH	266
BRICK, REFRACTORY K-23 IFB 9" X 6" X 3" #4 ARCH, ED27	EACH	53

REFRACTORY, SUPEREX 2000, 2-1/2"X12"X36"(8PCS/BX)(24 SQ FT/BX)	EACH	66
BRICK, K-20 IFB 9" X 4 1/2" X 3" #1 ARCH	EA	19
JM-30 IFB DOME SHAPE D-11651-11, P31	EA	2
BRICK, REFRACTORY JM-28 IFB 9" X 4-1/2" X 2-1/2" #3 KEY, E09	EACH	66
BRICK, REFRACTORY K-20 IFB 9" X 4-1/2" X 3" STRAIGHT, ED16 S55	EA	630
BRICK, JM-30 IFB 9" X 6" X 3" #2 ARCH - 14PCS/CARTON, P34	EA	804
INSULATION, KAOWOOL HS 45 BOARDS SHAPE D-13549-5, C12 P45 S62	EA	827
INSULATION, KAOWOOL HS 45 BOARDS SHAPE D-13549-5, C12 P45 S62	EA	768
INSULATION, KAOWOOL 2300F HS-BOARD 36" X 24" X 1", ED32	SQFT	108
BRICK, REFRACTORY JM-30 IFB 9" X 6" X 3" #3 ARCH, C06 P33	EA	186
BRICK, REFRACTORY JM-30 IFB 9" X 4-1/2" X 3" STRAIGHT , P35 S4	EA	129
BRICK, REFRACTORY K-20 IFB 9" X 4-1/2" X 3" STRAIGHT, ED16 S55	EA	226
REFRACTORY, SUPEREX 2000, 2"X12"X36", (8 PCS/BOX)(24 SQ FT/BX)	EACH	96
REFRACTORY, SUPEREX 2000, 2"X12"X36", (8 PCS/BOX)(24 SQ FT/BX)	EACH	96
REFRACTORY, SUPEREX 2000, 2"X12"X36", (8 PCS/BOX)(24 SQ FT/BX)	EACH	96
REFRACTORY, SUPEREX 2000, 2"X12"X36", (8 PCS/BOX)(24 SQ FT/BX)	EACH	96
INSULATION, KAOWOOL 2300 STRIP 300" X 3" X 1" @ 8# DENSITY, P50	FT	2000
REFRACTORY, INSALCOR, 13-1/2X4-1/2X3, #2 ARCH	EACH	47
JM-26 IFB 9"X 4-1/2"X 3-2.75" #1 ARCH 3", P36	EA	80
BRICK, REFRACTORY JM-26 IFB 9" X 4-1/2" X 3" STRAIGHT, P36	EACH	95
CEMENT, REFRACTORY CERAKOTE 1-GALLON CAN, G04	EA	2
BRICK, REFRACTORY JM-26 IFB 9" X 4-1/2" X 3" #3 KEY, E15	EA	5
KAOWOOL 2600 SLEEVE D-13549-13, C13	EA	14
INSULATION, KAOWOOL HS-45 BOARD 36" X 24" X 1-1/2", P43	SF	48
REFRACTORY, SUPEREX 2000, 2"X12"X36", (8	EA	80
INSALCOR, 13 1/2" X 4 1/2" X 3" X 1"	EA	125
SR-90, SPECIAL ARCH SHAPE D-11651-39 (NEEDS ITEM CODE ASSIGNED)	EACH	26
BLOCK, SUPREX 2000 2.5X12X36	EACH	222
BLOCK, SUPREX 2000 2X24X36	EACH	256
ROLLER,	EACH	8
ROLLER,	EACH	1
ROLLER,	EACH	2
ROLLER, 4" X 92" W/SHAFT	EACH	3
2" PIPE SPOOL TFE LINED 63" LONG	EACH	1
BASKET, STRAINER FOR 10" HAYWARD MODEL 900 DUPLEX 1/16" HOLES 316 SS	EACH	5
BASKET, STRAINER FOR 10" HAYWARD MODEL 900 DUPLEX 1/8" HOLES 316 SS	EACH	5
BASKET, 10" HAYWARD MODEL 900 DUPLEX STRAINERFOR DFS BRINE STRAINERS	EACH	4
BRICK, EMPIRE SM, 9"X4-1/2"X2-1/2", #1 ARCH	EA	300
RUBY SR DOME SKEW SHAPE D-13552-10	EACH	56
RUBY SR 9" X 6" X 3", #3 WEDGE	EACH	37
RUBY SR 9" X 6" X 3", #1 WEDGE	EACH	8
RUBY SR DOME SKEW SHAPE D-13552-11	EA	10
RUBY SR 9" X 6" X 3" STRIGHT	EA	3
RUBY SR 13 1/2" X 6" X 3" STRIGHT	EA	2
RUBY SR 9"X 4-1/2"X 3" #3 ARCH, S24	EA	135
REFRACTORY, JM-26 IFB 13.5X4.5X2.5 STRGT	PC	AA
REFRACTORY,SR-90,D-11651-39	EACH	AA



BRICK, FIRE K-20 IFB 9X4.5X2.5 STRAIGHT	EA	AA
RUBY SR SIGHT PORT SHAPE D13599-13	EACH	4
RUBY SR SIGHT PORT SHAPE, D13559-14	EACH	4
RUBY SR DOME PLUG D-13552-9	EA	1
RUBY SR SIGHT PORT SHAPE D-13559-15	EA	1
RUBY SR SIGHT PORT SHAPE D-13559-16	EA	1
INSULATION, KAOWOOL BLANKET 8# DENSITY	ROLL	AA
GASKET SET, FISHER #RGASKETX232	EACH	1
BEAKER, 2000 ML, GRADUATED	CASE	1
LEVER, FOR USE WITH 1-1/2" & 2" BERTREM VALVE	EA	2
SCREW, STOP SCREW FOR USE WITH 1-1/2" & 2" BERTREM VALVE	EA	4
NUT, JAM NUT FOR 1-1/2" & 2" BERTREM VALVE	EA	4
ELEMENTS, HEATER, EEMAX P/N EX720	EA	39
WASHER, LOCK 1/2" SPLIT HEAVY PLAIN FINISH	BOX	1
BOLT, SEX ASSEMBLY SDC D-1500 MDB DOOR MOUNTING HARDWARE	EACH	40
NOZZLE, SPRAY 1/4" NPT LOW FLOW 80 DEG FULL CONE HASTELLOY C BETA WL-1	EACH	8
CAPSCREW, #10-32 X 2-1/2", SOCKET HEAD, 18-8 STAINLESS STEEL	PKG	3
BOLT, 3/8-16UNC X 3/4 LG HEX CS GR5	BOX	1
BOLT, 5/16-18UNC X 2 LG HEX CS GR5	BOX	1
BOLT, 5/16-18UNC X 1-1/2 LG HEX CS GR5	BOX	1
BOLT, 5/16-18UNC X 1/2 LG HEX CS GR5	BOX	1
STUDROD, 1/4-20 UNC X APPROX. 36" LONG SUN-HYDRAULICS	EACH	10
NUT, 1-1/2-6UNC 310 SS HH DFS EXHAUST DUCT	EACH	40
TOOL, VALVE HEAD ASSEMBLY	EACH	2
TOOL, KIT FOR SERVICING BAUER LSS COMPRESSOR MODEL UN11/9-E3	EACH	4
TOOL, INLET VALVE REMOVAL	EACH	2
TUBE, CONNECTING, 12MM OD X 1.5MM WALL	EACH	1
REDUCER, TUBE 15MM L TUBE X 12MM L TUBE	EACH	2
SCREW, POST (FOR FILTER HEAD REMOVAL)	EACH	4
CONNECTOR, MALE 12MM LL TUBE X 1/4"BSPTM	EACH	2
BALLAST, HPS 400W 480B AUTOREG	EACH	6
PROTECTOR, CORD DUCT 10'LX1/2HX2 2/3W	EACH	4
FUSE, 5A 250V MIN-5	EACH	5
CAP, NUT	EACH	2
ADAPTER, SAE -8 STRAIGHT THREAD O-RING	EACH	3
ADAPTER, G-1/2 MALE X SAE 8 JIC MALE	EACH	4
SCREW, SET 1/2 - 13 CUP POINT STEEL	EACH	4
SCREW, SET 1/4-20 CUP POINT STEEL	BOX	1
SCREW, SET 5/16-18 CUP POINT STEEL	EACH	1
SCREW, SET HEX SOCKET HEAD #10-24 X 1/4"	PKG	2
SCREW, SET HEX SOCKET HEAD #10-32 X 1/4"	PKG	2
SCREW, SET HEX SOCKET HEAD #8-32 X 3/16"	PKG	2
SCREW, SET HEX SOCKET HEAD 1/4-20 X 3/8"	PKG	2
SCREW, SET HEX SOCKET HEAD 3/8-16 X 5/8"	PKG	3
SCREW, SET HEX SOCKET HEAD 3/8-16 X 1/2"	PKG	4
COUPLING, FLEX HUB 7/8" X 3/16" X 3/32" LOVEJOY L-095 P/N 11089	EACH	3
LAMP, INDICATING,MINIATURE BAYONET BASE,6.3V	PKG	2

LAMP, MINIATURE INDICATOR, 28V .04W	EACH	20
SCREW, SET HEX SOCKET HEAD 1/2-13UNC X 58" ALLOY STEEL	PKG	2
PIPE, NIPPLE, 1/2" X 2-1/4" LONG	EACH	2
PAPER, COPY BLUE LETTER 8-1/2X11"	CASE	2.12
PROTECTOR, CORD DUCT 5'LX5/8H X 3"W	EACH	4
TONER, CARTRIDGE 5352/5855 COPIERS	EACH	2
TONER, CARTRIDGE FOR ALL HP 4000 & 4050 MODELS	EACH	12
SEALANT, JOINT X-PANDO	EACH	7
OIL, LUBRICATING MOBIL DELVAC 1230	CASE	1
GREASE, WIRE ROPE TEXCLAD	CASE	0.4
FLUID, HYDRAULIC	PAIL	4
CLEANER, DISINFECTANT LEMON, 4-1 GALLONS PER CASE	CASE	0.75
REFRACTORY, ROLL PLUG HALF 40A116897-P2	EACH	AA
KAWWOOL, BULK A, 2300 (10# DENSITY) (BLANKET), (25# BAG)	EACH	15
INSULATION, PYRO-LOG <sup>®</sup> FIBER 6" X 12" X 4" @ 15# DENSITY, P49	EA	198
INSULATION, KAOWOOL BULK "A" 50# BAG	BAG	AA
BRICK, FIRE K-20 IFB 13.5X4.5X2.5 STRGT	PC	AA
REFRACTORY, ROLL PLUG HALF 40A116897-P3	EACH	AA
REFRACTORY, ROLL PLUG HALF 40A116897-P1	EACH	AA
INSULATION, PYRO-LOG <sup>®</sup> FIBER 6" X 12" X 4" @ 15# DENSITY, P49	EACH	AA
WIRE, 12C #14 XHHW-2 600V 90 DEG	FT	3960
WIRE, 24 SPS #20 PLTC/ITC 300V 90 DEG C	FT	428
CABLE, 3PR #18 LOW VOLTAGE COMPUTER	SPL	1
CABLE, DATA HIGHWAY 2 RG11/U 9825CDHII	EACH	2
WIRE, 3C #4 TC 150C Z CDRS 600V DRY SPEC APP	SPL	1
IMPELLER, 12 HOLE ASSEMBLY P/N 17-14-126-D-21	EACH	1
ROLLER, 2 1/2" DIAMETER IMPACT	EACH	10
ROLLER, 2 1/2" DIAMETER IMPACT	EACH	29
CYLINDER, HYD 4" BORE X 19-1/2" STROKE	EACH	1
PRE-AMP,PRE-6-40	EACH	14
CONTROLLER, SPEED AC MOTOR	EACH	1
BOARD, INSULATION 2600F 2"X12"X36"	EACH	AA
INSULATION, 2600 DEGREE, KAOWOOL BOARD 2/24/36	EA	AA
BOARD, INSULATION 2600F 2"X24"X36"	EACH	AA
BAR, ROUND 1/4" DIAM MATERIAL RA330 RANDOM LENGHTS FOR MPF REFRACTORY	EACH	2
GASKET, MILLBOARD CERAMIC FIBER 55" X 55" X 1/8" THICK KAOWOOL #822	EACH	7
ELBOW,90-DEG. 3/4", 3000#,SW,STEEL,ASTM A105	EACH	2
BUSHING, REDUCER PIPE, 2 1/8 IN X 2 IN NPT FEMALE ADAPTER GALVANIZED STEEL	EA	2
FITTING, PIPE TEE 1-1/2" NPS SOCKET SCHEDULE 80 CPVC ASTM F441	EACH	5
FLANGE, PIPE 1-1/2" NPS CLASS 150# FF SOCKET CPVC ASTM F441	EACH	5
FITTING, PIPE ELL 1-1/2" NPS SOCKET SCHEDULE 80 CPVC ASTM F441	EACH	2
FLANGE, PIPE 1" NPS CLASS 150# FF SOCKET CPVC ASTM F441	EACH	2
NIPPLE, PIPE 1-1/2" NPS X 3" LONG TBE SCHEDULE 80 CPVC ASTM F441	EACH	5
NIPPLE, PIPE 1" NPS X 3" LONG TBE SCHEDULE 80 CPVC ASTM F441	EACH	5
FLANGE, PIPE BLIND 1-1/2" NPS CLASS 150# FF CPVC ASTM F441	EACH	5
BOLT,HEX HEAD,3/8"X 3",ASTM A307,GR.A, ZINC COATED.	EACH	50
SOCK-O-LET,3/4 X3",3000#,HASTELLOY C276,ASTM B574,GR.WPH	EACH	1

TEE, 1/4" TUBE X 1/4" NPT X 1/4" TUBE, ADAPTER, NYLON	EA	3
TEE, UNION, NYLON 1/4" TUBE	EA	4
ELBOW, ADAPTER MALE 1/4" PIPE TO 1/4" TUBE, NYLON	EA	5
ADAPTER, MALE, STRAIGHT, NYLON 1/4" NPT X 1/4" TUBE	EA	3
MOUNT, 11 GAUGE SS FIBEROPTIC SENSOR MANUFACTURED 44-0173-1	EACH	4
SWITCH, 2-POSITION ELECTRICAL SQUARE D 9001SKR9RH13	EACH	2
CAP SCREW, SOCKET HEAD	EACH	2
FITTING, FEMALE JIC 37 DEGREE, SWIVEL CRIMP FITTING PARKER P/N 10643-12-12	EACH	4
BUSHING, THREADED	EACH	2
FLANGE, 3", SLIP ON, CARBON STEEL, ASTM A105, 300LB, FLAT FACE	EACH	1
BOLT, 3/4" X 8", HILTI KWIK BOLT II	BOX	4
NIPPLE, PIPE 3/4" X 3", SEAMLESS HASTELLOY C276 ASTM B622	EACH	3
NUT, HEX, 1/2-20 UNF, NITRONIC 60 STLS STL	EACH	17
VALVE, SOLENOID, AIR, 4-WAY, 3/8 NPT, 120V, 60HZ	EACH	1
VALVE, TIME DELAY, 1/4" NPT, N.C., .1-3 SEC	EACH	2
VALVE, SOLENOID, AIR, SINGLE, 1/4 NPT 120V, 60HZ	EACH	1
VALVE, DIR. CONTROL, 4-WAY, 2 PORT, 5 POSITION	EACH	1
FILTER, 3/8 NPT, 40 MICRON 150 PSIG MAX	EACH	4
CYLINDER, AIR, 1 1/8" BORE, 1 1/2" STROKE W/BUMPERS	EACH	2
VALVE, CHECK, 3/8", DOUBLE MALE	EACH	1
RELAY, DPDT, 120 VOLT, THERMEX, WITH BSE	EACH	5
COUPLING, HALF, QUICK-DISCONNECT 3/8 FPT	EACH	2
COUPLING, HALF, QUICK-DISCONNECT 1/4 FPT BRASS	EACH	2
BRACKET, REGULATOR	EACH	1
SWITCH, ELECTRICAL 3 POS 600 10 AMP SQUARE D 9001-SKS53FBH1	EACH	1
NUT, TUBE 3/4" FOR TRIPLE-LOK 37 DEG. FLARE TUBE FITTING PARKER BTX	EACH	2
SLEEVE, TUBE 3/4" FOR TRIPLE-LOK 37 DEG. FLARE TUBE FITTING PARKER TX	EACH	2
PIPE, 1-1/4" NPT, SCHED 80, 24" LENGTH, TBE, SS304 ASTM A312 TP304	EA	1
COUPLING, HEX REDUCING SS 3/4" X 1/2"	EACH	5
CONNECTOR, MALE, 1/2" TX 1/2" MNPT, SWAGelok MODEL #SS-810-1-8	EACH	130
TUBE FITTING, UNION TEE, 1/2", SWAGelok # SS-810-3	EACH	1
COUPLER, 1/2 IN. FEMALE X 1/2 IN. FEMALE NPT, CAM AND GROOVE, TYPE D	EA	5
GASKET, TAPE 1/2" W X 0.120" TK GORE-TEX	FT	100
SWITCH, PRESSURE, 1/4 NPT, 115V REVERSE ACTION	EACH	1
CYLINDER, AIR, 2" BORE, 1" STROKE, DOUBLE ENDED SQ. HEAD	EACH	3
BUSHING	EACH	1
RETAINER, SEAL GATE SIDE 4'-5 1/16" LG 02-MHE-153A-M-058 #27	EACH	12
RETAINER, SEAL GATE SID 4'-5 1/16" LG 02-MHE-153A-M-058 #28	EACH	13
WRENCH, COMBINATION 1 3/8"	EACH	5
GATE, SIDE SEAL 304 S/S 20GA X 5" X 4'-5 1/4"	EACH	8
GATE, SEAL RETAINER S/S 20GA X 3-1/8" X 4'-5 1/16"	EACH	3
GATE, SIDE SEAL 304 S/S 20GA X 5" X 6'-11 1/4"	EACH	6
GATE, SIDE SEAL 304 S/S 20GA X 5" X 6'-8"	EACH	6
GATE, SEAL RETAINER S/S 20GA X 3-1/8" X 6'-11 1/16"	EACH	6
GATE, SEAL RETAINER S/S 20GA X 3-1/8" X 6'-11 1/16"	EACH	6
GATE, UPPER SEAL RETAINER S/S 20GA X 3-1/8" X 6'-7 3/4"	EACH	6
GATE, SIDE SEAL 304 S/S 20GA X 5" X 6'-11 1/4"	EACH	6

GATE, UPPER SEAL 304 S/S 20GA X 5" X 4'-0"	EACH	6
GATE, UPPER SEAL 304 S/S 20GA X 5" X 5'-1 3/8"	EACH	6
GATE, SEAL RETAINER S/S 20GA X 3-1/8" X 4'-7 1/2"	EACH	6
GATE, SEAL RETAINER S/S 20GA X 3-1/8" X 5'-1 1/8"	EACH	6
GATE, SIDE SEAL 304 S/S 20GA X 5" X 4'-7 11/16"	EACH	6
GATE, SIDE SEAL 304 S/S 20GA X 5" X 7'-5 11/16"	EACH	6
GATE, UPPER SEAL 304 S/S 20GA X 5" X 7'-2 3/8"	EACH	6
GATE, RETAINER SEAL S/S 20GA X 3 1/8" X 7'-5 1/2"	EACH	6
GATE, SEAL RETAINER S/S 20GA X 3 1/8" X 7'-5 1/2"	EACH	6
GATE, SEAL RETAINER S/S 20GA X 3 1/8" X 7'-2 1/8"	EACH	6
GATE, SIDE SEAL 304 B39S S/S 20GA X 5" X 7'-5 11/16"	EACH	6
RETAINER,UPPER SEAL S/S 20GA X 3-1/8" X 4'-4 3/4"	EACH	6
RETAINER, SEAL GATE UPPER 5'-1 1/8" LG 02-MHE-153A-M-052 #29	EACH	12
PIPE, 1/2" NPS SCHEDULE 40 SEAMLESS MATERIAL RA 353MA PER ASTM	FT	300
ROLLER, ASSEMBLY 4.00 DIA X 92.00" LG	EACH	13
FILTER, MEARV 17 FOR AQE 2000 PN 41168	EACH	1
TR-20 BOARD, 2" THICK, 2"X 12"X 36" (8PCS/CTN)	EACH	20
REDUCER #54	PAIL	4
THINNER, NO. 20	GALL	3
THINNER, MC	GALL	5
MOTOR, HYDRAULIC ROLLER	EA	1
ACTUATOR, BALL SCREW	EACH	1
BRAKE, ELECTRIC DOUBLE C-FACE P/N 1-087-772-01QG	EACH	1
CHAIN, ROLLER RC120 P/N 374400-0527	EACH	1
CHAIN, ROLLER RC120 P/N 374400-0562	EACH	1
CUSTOM INSULATED TUBING BUNDLE,1.68",30' FT.REMNANT BLUE	FT	30
MOTOR, 1.0 HP 1800 RPM P/N FC56TM16A	EACH	1
MOTOR, 1.0 HP 1725 RPM P/N FC56CM21A	EACH	1
CHAIN, ROLLER 232 PITCHES W/CON LINK	EACH	1
CHAIN, ROLLER 362 PITCHES	EACH	1
CHAIN, ROLLER 62 PITCH	EACH	1
CHAIN, 62 PITCH	EACH	3
CHAIN, ROLLER 240 PITCHES W/CON LINK	EACH	1
CHAIN, ROLLER 37 PITCHES W/CONN LINK	EACH	1
NIPPLE SWAGED, 1 1/2 X 3/4" SQUARE SW ENDS CS	EACH	1
FLANGE, 1" SOCKET WELD 300 LB HASTELLOY C-276	EACH	4
COUPLING, 1 1/2" CAM & GROOVE, MALE ADAPTER X SHANK 316 SS	EACH	3
BUSHING, PIPE 1" X 1/2" SS HEX	EACH	5
COATING, PROTECTIVE, METAL	EACH	6
PROTECTOR, STEM, 1/4" FULL FLOW, SS, SWAGELOK P/N SS-45S8	EA	70
PUMP, HYDRA CELL P/N D10 EKBNH FECA 8 GPM	EACH	2
STEM, BRONZE, 10" CONTROL CHECK VALVE, MUELLER MODEL 721	EACH	1
CAPSCREW, HEX HEAD 3/8" - 16 UNC - 2A X 1 1.2" LG 316SS	PKG	2
VALVE, CHECK, 2" NPS LINED PIPE INSERT, TFE/KALREZ, HAST C SPRING (SP-323)	EACH	4
ELBOW, 45DEG. 1" C276 HASTALLOY	EACH	2
SOCKOLET, 5-3X1 3M B462 C276 HASTELLOY	EACH	1
SPACER, FLANGE LINED PIPE 2" NPS 150# FLANGE 3" THICK PTFE	EACH	3

KEYBOARD CONTROLLER	EACH	1
BOLT 1/2-13X 4 1/2" 316 HEX HEAD SS 5/PKG	PKG	4
FLANGE, 2" SW 150# SCHEDULE 40 BORE HASTELLOY	EACH	2
FLANGE, 1.5" SW 150# SCH 40 BORE HASTELLOY	EACH	4
ELBOW, 1" SW 90 DEGREE HASTELOY 3000#	EACH	4
TEE, 1.5" SW FULL SIZE HASTELLOY 3000#	EACH	2
FLANGE, 1" - 150# RF SW ASTM B564 ALLOY N10276 PIPE CLASS WG	EACH	4
ELBOW, 1.5" SW 90 DEGREE HASTELLOY 3000#	EACH	4
PENDANT, STATION, 2 BUTTON, SQUARE D PART NUMBER SKYP20.	EA	1
ELL, 45 DEGREE 1/2" 300# GALV A197 CLASS WI	EACH	5
VALVE, BALL CS 2" 300# THD MONEL BALL/STEM TFE SEALS	EACH	1
RECTIFIER, P/N GBPC2501	EACH	2
BEARING, 2" I.D. P/N DRF3236-24	EACH	4
CASTER, 5000 LB CAPACITY P/N 94-FS-08701-R	EACH	1
BEARING, PILLOWBLOCK P/N 023176/056041	EACH	2
STARTER, MOTOR CONTACTOR REVERSING NEMA SIZE 1 120V COIL	EACH	1
CHASSIS, CONTROL MRB-XL	EACH	5
BEARING, CAM FOLLOWER P/N CCF-3-S	EACH	4
CARTRIDGE, PRINTER P/N 8766	EACH	9
ROLLER, IDLER ASSEMBLY 4" DIA X 1'-1/2" LONG	EACH	2
ROLLER, IDLER ASSEMBLY 4" DIA X 9" LONG	EACH	2
ROLLER, IDLER ASSEMBLY 4" DIA X 2'-9 3/4" LONG	EACH	4
ROLLER, 4"DIA X 44-1/2" LONG W/TWO 80A17 SPROCKETS	EACH	20
ROLLER, 4"DIA X 44-1/2" LONG W/O SPROCKETS	EACH	2
ROLLER, W/O SPROCKETS P/N 8651-3NS	EACH	1
CYLINDER, HYDRAULIC 3.25" PARKER - HANNIFIN 03.25"	EACH	1
CYLINDER, HYDRAULIC 3.25" PARKER - HANNIFIN 03.25"	EACH	1
CASTER, RIGID 8" DIA. 5000 LB CAPACITY	EACH	2
BEARING, PILLOWBLOCK 4-BOLT BASE 2-15/16" DIA SHAFT	EACH	2
CYLINDER, HYDRAULIC 2-1/2" BORE X 5-1/2" STROKE HEAVY DUTY	EACH	2
ROLLER, W/O SPROCKETS P/N 8651-1NS	EACH	1
CHAIN, ROLLER RC160 127 PITCHES W/CONN LINK	EACH	1
CHAIN, ROLLER RC160 83 PITCHES W/CONN LINK	EACH	1
BEARING, FLANGE 1-1/8" DIA. SHAFT 2-BOLT MOUNTING	EACH	100
POWER SUPPLY, CONTROLOGIX P/N 1756PA72	EACH	1
1/4" ELL, 90 SCRD 3000# A182-316F CLASS AFB	EACH	5
TRACKBALL, W/MP CONNECTION	EACH	1
ELBOW, 45 DEG. 2" SW, 3M HASTELLOY C276	EACH	1
ELBOW, 90 DEG. 2" SW, 3M, HASTELLOY C276	EACH	1
FITTING, 45 DEGREE LATEROLET, 4" X 2" SW 3M HASTELLOY C276	EACH	1
STUB END, 1" PIPE SIZE, BUTT WELD	EACH	4
BUSHING, REDUCING, PVC, SLIP, 8" X 4"	EACH	2
BUSHING, REDUCING, PVC, SLIP, 8" X 6"	EACH	2
BUSHING, REDUCING, PVC, SLIP, 6" X 4"	EACH	2
SCREW CAP FLAT HEAD SOCKET PLAIN FINISH 1/2-13 X 3/4"	PKG	2
CAPSCREW, 1/2"-20 X 3" PLAIN FINISH HEX GRADE 5	BOX	4
ACTUATOR, PNEUMATIC	EACH	2

NIPPLE,SWAGED CONCENTRIC 3/4"IPS TO 1/4"SCH 80 TBE CS	EA	5
NIPPLE,SWAGE CONCENTRIC 1"IPS TO 3/4"SCH80 TBE CS ASTM A106-B	EA	5
NIPPLE,SWAGED CONCENTRIC 1"IPS TO 1/2"SCH 80 TBE CS	EA	5
NIPPLE,SWAGED CONCENTRIC 3/4"IPS TO 1/2"SCH 80 TBE CS	EA	5
NIPPLE,SWAGED CONCENTRIC 1/2"IPS TO 1/4"SCH 80 TBE CS	EA	5
NIPPLE, PIPE 3/8" X 6" LONG THREADED BOTH ENDS SCH 160 CARBON	EA	3
BOLT, 1/2"X4-3/4", TEFLON, A-193-B	EA	5
CAPSCREW, 3/8"-24 X 3/4" PLAIN FINISH HEX GRADE 5	BOX	5
CAPSCREW, 3/8"-24 X 3/4" PLAIN FINISH HEX GRADE 5	BOX	5
BOLT, STUD 1/2" X 3' (ALL THREAD)	EACH	1
STOCK, ROUND 1" X 12" A193-B8	EA	1
LIFTER, DRUM 16 GAL.	EACH	1
1-1/2" 150# SLIP ON FLANGE ATM A-105 RAISED FACE 250 TO 125 AARH	EACH	2
1/2" 150# BLIND FLANGE ASTM A-105 RAISED FACE 250 TO 125 AARH	EACH	2
SPROCKET, 2" PITCH 11 TEETH 1-3/4" DIA SHAFT SIZE	EACH	2
SPROCKET, 1" PITCH 16TEETH SINGLE STRAND 2-1/8" DIA SHAFT SIZE	EACH	1
SPROCKET, 1" PITCH 17 TEETH SINGLE STRAND 1-1/2" DIA SHAFT	EACH	2
SPROCKET, 1" PITCH 17 TEETH SINGLE STRAND 1-1/2" DIA SHAFT	EACH	2
MOTOR, HYDRAULIC CHAR-LYNN MODEL #103-2034V "S" SERIES	EACH	2
SPROCKET, 1" PITCH 16TEETH SINGLE STRAND 2-1/8" DIA SHAFT SIZE	EACH	1
SPROCKET, 1" PITCH 19 TEETH SINGLE STRAND 2-1/8" DIA. SHAFT SZ	EACH	4
SPROCKET, 1" PITCH 19 TEETH SINGLE STRAND 2-1/8" DIA. SHAFT SZ	EACH	4
ROLLER, BNI	EACH	1
ROLLER, BNI P/N C1044436	EACH	1
BLEED RING, 3" CLASS 150 # HASTALLOY C-276	EACH	2
BLEED RING, 2 1/2" CLASS 150# HASTALLOY C-276	EACH	2
BLEED RING, 2" CLASS 150 # HASTALLOY C-276	EACH	1
FLANGE, 1" RF SW 300 LB. B564 UN10276, SCH40 BORE.	EACH	2
ROPE, ASSEMBLY	EACH	3
ROPE, WIRE, ASSEMBLY 5 TON CRANE	EACH	2
REDUCER,CONCENTRIC,STD,2"X1",C/S W/INTERNAL 150 LB.FLGS	EACH	2
SHEAVE, DRIVE MECHANISM FLEXIDYNE SIZE 11D 1-7/8" DIA SHAFT	EACH	2
RING, BLEED,HASTELLOY C, 3" TO 4 1/8" CHAMFER BOTH SIDES.	EACH	2
FLANGE,1-1/2" ANSI 300# RF THREADED CS ASMT A105	EACH	2
CROSS-BRACE W/FASTNERS,FOR LOUVERS ON AIR COOLER,PCS-COOL-101.	EACH	6
STRAP, CONDUIT EMT SINGLE HOLE	PKG	2
FLANGE, BLIND 1" NPS ANSI 150# 304 SS	EACH	2
LIMITER, TORQUE TORQ-GARD P/N TG-60 WITHOUT BUSHING	EACH	1
COUPLING, PIPE 1" - 3000# SW A105	EACH	4
NUT,HEAVY HEX, 1 1/8" DIA. ASTM A563, GRD DH.	EACH	125
BOLT,H HEX, CS,1-1/8"-7UNC X 4"LG.ASTM A307,GRD.B	EACH	3
ELBOW, STRAIGHT THREAD PARKER 16-12 C5BX-S	EACH	2
TEE, UNION 1/2" PARKER 8 JBTX-S	EACH	4
TEE, STRAIGHT THREAD RUN PARKER 8 R50X-S	EACH	4
EXPANDER, STRAIGHT THREAD PARKER 10-12 F50G5-S	EACH	2
REDUCER, STRAIGHT THREAD PARKER 12-8 F50G5-S	EACH	4
ELBOW, UNION 1/2" TUBE W/NUTS PARKER 8 EBTX-S	EACH	4

CAPSCREW, 1 1/2" - 6 UNC X 3 1/2" LONG STEEL HEX GRADE 5	EACH	4
COUPLING UNIVERSAL HOSE END 3/8"	EACH	5
RELAY, 125 VDC COIL 4 N.O. P/N D15CR40A1B	EACH	2
FLANGE, LAP JOINT, 1-1/2" PIPE DIA. CS, ASTM A105, CL 150	EACH	5
FLANGE, 1-1/2" DIAMETER, TWO PIECE BACKUP FLANGES,	EACH	5
SPROCKET, 19T RC80 P/N 80B19X2.125	EACH	1
SPROCKET, 19T RC60 1.375 BORE	EACH	1
SPROCKET, 19T RC60 1.50 BORE	EACH	1
SPROCKET, DOUBLE 22T RC60	EACH	1
ROLLER, W/80A17 SPROCKETS P/N 8651-1	EACH	10
FLANGE,BLIND,20",STEEL, ASTM A105, 150#	EACH	3
SEAL, RD FOR GLOVEBOX	EACH	196
INLET, FLEXIBLE BAND COUPLING P/N DA-30RB1806-105	EACH	1
SHOE, GUIDE P/N 18829	EACH	2
KIT, REPAIR P/N 703013	EACH	1
VALVE, CHECK 6" 150# RF SWING CHECK CARBON STEEL	EACH	3
BASE, 3 PART MODEL #645HV	EACH	1
VALVE, BALL 10" V200 P/N 10"-V200	EACH	1
ROLL, DISCHARGE DOOR HOUSING 5-1/2" OD WITHOUT COLLARS	EACH	2
ROLLER, W/80A17 SPROCKETS P/N 8651-1	EACH	10
ROLLER, W/80A17 SPROCKETS P/N 8651-3	EACH	10
POWER SUPPLY, PLC-3 P/N 1775-P1	EACH	3
PANEL, ACOUSTICAL INSULATION, 2 FT X 4 FT X 2 IN. CHARCOAL	EA	5
CABLE, CAT 5 4PR	EACH	1000
BOX, JUNCTION 6X6X6 RAIN TIGHT SCREW COVER	EACH	4
BOX, JUNCTION 8X8X4 W/SCREW COVER	EACH	2
FEMALE PIPE X SOCKET (D COUPLER) 4" CAM LOCK	EACH	3
PLUG X MALE PIPE CAM LOCK ADAPTER 4"	EACH	3
CAM LOCK MALE PIPE X SOCKET (B COUPLER)	EACH	3
PLUG X MALE PIPE (F ADAPTER) CAM LOCK 3"	EACH	2
PLUG, X FEMALE PIPE 3"	EACH	4
STRAINER, Y, 1 1/2 IN. IPS, CARBON STEEL, SOCKET WELD, SPIRAX-SARCO	EA	1
PIPE, T 1" FIBERGLASS FOR PAS PH PROBES RAM DWG # 150503WDC-1	EACH	2
CAP, THREADED, 2", CARBON STEEL, ASTM A105, 3,000 LB.	EACH	4
REDUCER PIPE 1 1/2 X 1 300# GALV ASTM A197 MI CLASS WI	EA	3
ELL PIPE 45 1/2" 300# GALV ASTM A197 MI CLASS WI	EA	3
ELL PIPE 90 1/4" 300# AAR GALV ASTM A197 MI CLASS WI	EA	2
ELBOW, 45 DEGREE, 1" FNPT, TITANIUM, ASTM B348/B381 GRADE F2	EACH	2
ELL PIPE 45 1" 300# GALV ASTM A197 MI CLASS WI	EA	3
FITTING, 45 ELL, 1/2", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	5
FITTING, 90 ELL, 1", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	5
FITTING, 90 ELL, 3/4", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	5
FITTING, 90 ELL, 1/2", FORGED STEEL, 3000#, SW, SA105, CLASS AA, AB, AC	EA	5
NIPPLE, SWAGE 2" X 1 1/2" XH GALV TBE CLASS WI	EACH	2
NIPPLE, SWAGE 2" X 1" XH GALV TBE CLASS WI	EACH	2
UNION, 1 1/2" A197 300# GALV CLASS WI	EACH	2
NIPPLE, SWAGE 1 1/2" X 1" XH GALV TBE CLASS WI	EACH	2

UNION, 3/8" A197 300# GALV CLASS WI	EACH	2
UNION, 1/4" A197 300# GALV CLASS WI	EACH	2
UNION, 1/8" A197 300# GALV CLASS WI	EACH	2
NIPPLE, SWAGE 1/2" X 1/4" XH GALV TBE CLASS WI	EACH	5
LOCKNUT, 3/4" CONDUIT	EACH	1440
NIPPLE, PIPE 1/4 X 5 S80 TBE A106B GALV MI	EA	2
NIPPLE, PIPE CLOSE 3/8 S80 TBE A106B GALV MI	EA	2
NIPPLE, 1/4" PIPE CLOSE S80 TBE A106B GALV MI	EACH	3
NIPPLE, PIPE 1 X 6 S80 TBE A106B GALV MI	EA	3
NIPPLE, PIPE 1/2 X 6 S80 TBE A106B GALV MI	EA	3
NIPPLE, PIPE 1 X 5 S80 TBE A106B GALV MI	EA	3
NIPPLE, PIPE 3/4 X 6 S80 TBE A106B GALV MI	EA	3
NIPPLE, PIPE 1 1/2 X CLOSE S80 TBE A106B GALV MI	EA	3
NIPPLE, PIPE 1 X 3 1/2 S80 TBE A106B GALV MI	EA	3
NIPPLE, PIPE 1 X 2 S80 TBE A106B GALV MI	EA	5
NIPPLE, PIPE 1 X CLOSE S80 TBE A106B GALV MI	EA	3
NIPPLE, PIPE 3/4 X CLOSE S80 TBE A106B GALV MI	EA	3
NIPPLE, PIPE 3/4 X 1 1/2 S80 TBE A106B GALV MI	EA	3
TEE, PIPE, 1-1/4" X 1-1/4" X 1-1/4", EXTRA STRONG, THREADED,	EA	1
NIPPLE, PIPE 1 1/2 X 2 1/2 S80 TBE A106B GALV MI	EA	3
NIPPLE, SWAGE 1" X 1/2" XH GALV TBE CLASS WI	EACH	5
NIPPLE, SWAGE 3/4" X 1/2" XH GALV TBE CLASS WI	EACH	5
NIPPLE, SWAGE 3/4" X 3/8" XH GALV TBE CLASS WI	EACH	2
NIPPLE, SWAGE 3/4" X 1/4" XH GALV TBE CLASS WI	EACH	2
NIPPLE, SWAGE 1/4" X 1/8" XH GALV TBE CLASS WI	EACH	2
NIPPLE, SWAGE 3/8" X 1/4" XH GALV TBE CLASS WI	EACH	2
NIPPLE, SWAGE 1/2" X 3/8" XH GALV TBE CLASS WI	EACH	5
ELL PIPE 45 2" 300# GALV ASTM A197 MI CLASS WI	EA	3
REDUCER PIPE 2 X 1 1/2 300# GALV ASTM A197 MI CLASS WI	EA	3
REDUCER PIPE 1 X 1/2 300# GALV ASTM A197 MI CLASS WI	EA	3
NUTS,H.HEX, 1 1/8" DIA. ASTM A194, GRD. B	EACH	149
TEE PIPE 2" 300# GALV ASTM A197 MI CLASS WI	EA	3
ELL PIPE 90 2" 300# GALV ASTM A197 MI CLASS WI	EA	3
ELL PIPE 45 1 1/2" 300# GALV ASTM A197 MI CLASS WI	EA	3
BUSHING, CONDUIT 3/4" INSULATING GROUNDING	EACH	5
GASKET, 6'-8" OD X 5'-6 3/4" ID X 1/8" TK 52 HOLES KLINGER	EACH	2
SLOTTED SHIM KIT "B" P/N 3L871	KIT	1
SHIM KIT	EACH	1
VALVE, CHECK CS 1" 800# SW	EACH	1
SPROCKET, DOUBLE TYPE B 16 TEETH 5-1/4" DIA SHAFT SIZE	EACH	1
SPROCKET, CC5 ROLLER CHAIN 3-7/16 DIA SHAFT SIZE	EACH	1
SPROCKET, CC5 ROLLER CHAIN 3-7/16 DIA SHAFT SIZE	EACH	1
SPROCKET, CC5 ROLLER CHAIN 5-7/16 DIA SHAFT SIZE	EACH	1
SPROCKET, DOUBLE TYPE C 36 TEETH 5-7/16" DIA SHAFT SIZE	EACH	1
REDUCER, SPEED EURODRIVE P/N FA90LP215TC	EACH	1
WINDSOCKS	EA	3
TUBE LAMP, U-SHAPED FOR DESKTOP LAMP, FUL 15T6 CW	EACH	5



STUDROD, 1/4-20 UNC X APPROX. 36" LONG SUN-HYDRAULICS	EACH	28
CAP, STEEL SAE 37 JIC TWIN 1/4" OD TUBE	EA	5
CAP, STEEL SAE 37 JIC TWIN 5/16" OD TUBE	EA	5
CAP, STEEL SAE 37 JIC TWIN 3/8" OD TUBE	EA	5
CAP, STEEL SAE 37 JIC TWIN 2" OD TUBE	EA	2
PLUG, STEEL SAE 37 JIC TWIN 1-1/2" OD TUBE	EA	5
CAP, STEEL SAE 37 JIC TWIN 1-1/4" OD TUBE	EA	5
PLUG, STEEL SAE 37 JIC TWIN 1-1/4" OD TUBE	EA	5
PLUG, STEEL SAE 37 JIC TWIN 1" OD TUBE	EA	5
CAP, STEEL SAE 37 JIC TWIN 1" OD TUBE	EA	5
FITTING, HYDRAULIC 1" UNION 37 FLARE 16HTX	EACH	5
FITTING, HYDRAULIC 12HTX	EACH	3
CAP, STEEL SAE 37 JIC TWIN 5/8" OD TUBE	EA	5
CAP, STEEL SAE 37 JIC TWIN 3/4" OD TUBE	EA	5
PLUG, STEEL SAE 37 JIC TWIN 3/4" OD TUBE	EA	5
FITTING, HYDRAULIC 1/2" UNION 37 FLARE 8HTX	EACH	5
HOSE, PARKER 421 W/CADIUM PLATED FITTINGS P/N 42	EACH	2
FITTING 1 1/2" 90DEG ELBOW JIC 37DEG	EACH	2
SCREW ANCHOR PLASTIC #6-10 50 PER PKG	PKG	4
WIRE, PHONE,CAT 5 YELLOW,4PAIR, AWG, DATA, SELF SPOOLING REEL	ROLL	5
RESERVOIR, 1/2 GALLON	EACH	2
BAG, VACUUM CLEANER CLOTH	EACH	22
BLADDER, KIT PARKER ACCUMULATOR 5 GAL 3000 PSI P/N 702984	EACH	3
ELBOW, 90 DEG, 1/2" TUBE X 1/2 FNPT, SS-810-8-8	EA	2
BLOCK, CONTACT ADDER N.C.	EACH	2
VENT, AIR, AUTOMATIC, BELL & GOSSETT #87	EA	4
VALVE, AUTOMATIC AIR VENT, ITT MODEL 97 1/8" MNPT	EA	3
REFLECTOR, GLASS	EACH	5
HEATER, SIEMENS E67 HEATER ELEMENT FOR OVERLOAD RELAY	EACH	3
ELBOW, 90 DEG STREET 1/8" NPT	EACH	2
REDUCER, 3/4" MNPT X 1/4" FNPT MI	EACH	5
NIPPLE, PIPE 1/4" X 4" LG. HASTELLOY C	EACH	5
ELBOW, PIPE, FEMALE, 1/4 X 1/4 STAINLESS	EACH	3
ELBOW, 90 DEG STREET 1/8"	EACH	2
KIT, SEAL	EACH	2
FLEXIFYNE, SPEED DROP CUTOUT P/N 313001	EACH	1
COUPLER, FEMALE 1 IN. X 1 IN. FEMALE NPT, CAM AND GROOVE, TYPE D	EA	5
COUPLING, P/N CK-1	EACH	1
COUPLING, ELASTOMERIC	EACH	2
COUPLING, MALE BOSS #4 TO FEMALE JIC #4	EACH	2
BLOCK, SCANNER PHOTO-ELECTRIC	EACH	1
BOOT, BALL SCREW UNIT PUMP W/CLAMP P/N SK2805-15-12	EACH	1
BUSHING, PIPE 1 1/2" X 3/4" NPT HEX STEEL	EACH	4
MUFFLER, BANTOM PLAIN FINISH 3/8" NPT FOR AIR EXHAUST	EACH	2
INSTRUCTIONS, MOTOR STARTER OVERLOAD RELAY SETTING	EACH	1
DRILL, PILOT, 3/8" METAL CUTTING P/N 4118A62	EA	5
PIN, CLEVIS P/N 525-0025-3	EACH	1

PIN, GATE ACTUATOR 1" DIA X 12" LG	EACH	4
CABLE, EXTENSION FOR CIMROX 4000X P/N CMB-480	EACH	1
PIN, BALL LOCK 3/4" DIA. X 3" GRIP LENGTH DOUBLE ACTING W/RING	EACH	8
PIN, BALL LOCK P/N CL-12-BLP-R-3	EACH	4
NUT, TUBE 1/4" SS	EACH	5
ADAPTER, TUBE 1/2" NPT X 1/4"T SS	EACH	5
PLUG, TUBE 1/8" SS	EACH	5
UNION, TUBE 1/2"T SS	EACH	5
NIPPLE, HEX REDUCING 1/2" TO 1/8"	EACH	5
BUSHING, RED 1/8" X 1/4"	EACH	3
BUSHING, RED 1/8" X 3/8"	EACH	3
TEE, 1/4" MALE	EACH	5
ADAPTER, TUBE 1/2" NPT X 3/8"T	EACH	5
SWITCH, PROXIMITY INDUCTIVE W/CABLE P/N B15-S18-AN-6X-H1141	EACH	2
SWITCH, PROXIMITY P/N B15-S18-AN6X-H1141	EACH	2
ROLLER, BNI SWING P/N C1044620	EACH	1
CO SENSOR	EACH	1
ROLLER, ASSEMBLY W/BUSHING P/N 526-0026-9	EACH	2
BEARING, CAM FOLLOWER P/N 200-1225-8	EACH	2
FLANGE, 6" WN 150# CS RF	EACH	1
CONTACT, ASDS AUX P/N S99400-208	EACH	1
POTENTIOMETER, ASDS 10K SPEED P/N S99400-311	EACH	1
MUFFLER, EXHAUST, CORROSION RESISTANT, 1/2" NPT	EA	4
WASHER, LOCK BEARING	EACH	2
SQUARE D 9001SKRU2 PENDANT PUSHBUTTONS.	EA	10
NOZZLE, SPRAY 1/2"	EACH	24
INDICATOR,PRESSURE WEKSLER# AA442PH2LWXC46B	EACH	0
BLEED-RING, INSTRUMENTS CALIBRATION 1" NPS RING TYPE 316 SS	EACH	3
TENSIONER, CHAIN 374400-0505	EACH	2
SPROCKET, 2" BORE W/KEYWAY & SET SCREW P/N D50B21H	EACH	3
SPROCKET, 2" BORE NO KEYWAY & NO SET SCREW	EACH	1
SPROCKET, 2-1/8" BORE 1/2 X 1/4 KW 1-5/8 LG THRU HUB P/N80B16	EACH	1
SPROCKET, IDLER BALL BEARING TYPE RC60-13T P/N 60BB13H	EACH	1
SHEAVE, 5 GROOVE BX BELT 6.6 OD BOLT-ON FLEXYDINE DRIVE	EACH	2
BEARING, FLANGE 1-1/4" P/N FX3U220N	EACH	5
BEARING, FLANGE 1-1/4" BORE P/N FX3U2E20N	EACH	3
BEARING, PILLOWBLOCK 4-BOLT P/N P4BS2215SS2000	EACH	1
BEARING, PILLOWBLOCK 2-7/16" SHAFT P/N P2BK207R	EACH	2
BEARING, PILLOWBLOCK 4-BOLT BASE 5-7/16" DIA SHAFT SIZE	EACH	2
PIPE, 3/4", ALLOY C-276, SPEC SB619, SCH 40 X RANDOM L, CMTR REQUIRED	FT	20.17
PIPE, 1-1/2" NPS SCHEDULE 80 CPVC ASTM F441	EACH	2
CAP, 1-1/4", WROUGHT COPPER SOCKET SOLDER-TYPE JOINT, ASME B16.22 TYPE L	EACH	2
BEARING, PILLOWBLOCK 1" SHAFT P/N 123806	EACH	1
BEARING, 2" SHAFT TFE PLASTIC	EACH	2
BEARING, NEEDLE	EACH	4
BEARING, FLANGED 2-15/16" SHAFT	EACH	8
BELT, 5 GROOVE 6.6 PD BOLT ON SHEAVE P/N 311064	EACH	1

BELT, V-DRIVE P/N BX112DYNA-COG	EACH	1
LAMP, INDICTING, MINITURE BAYONET BASE 120V .03A	PKG	3
BOLT HEX 1/2"-13UNC X 1.75"LG INCONEL 625 ASTM B446 DFS FEED	EACH	30
SWITCH, PRESSURE	EACH	1
SWITCH, PRESSURE DIFFERENTIAL P/N 17RHAA5M4C2A	EACH	1
SWITCH, PRESSURE P/N 12RT-K614N4C1A	EACH	4
SWITCH, SPEED DROP CUT-OUT FOR FLEXIDYNE DRIVE STANDARD UNIT	EACH	2
SENSOR, RATE P/N B6-1	EACH	2
PROBE, CABLE FOR CYLINDRICAL SENSOR 30' LONG	EACH	8
SENSOR, RATE P/N B6-1	EACH	1
RELAY, ASDS P/N S99400-71	EACH	1
RELAY	EACH	5
RELAY, OVERLOAD SIZE 1&2 NO. C306GN3B	EACH	9
RELAY, DPDT P/N BR-2	EACH	3
RELAY, DPDT	EACH	8
RELAY, OVERLOAD	EACH	2
MODULE, LOGIC INSPECTION P/N LIM-2	EACH	2
MODULE, LOGIC INSPECTION P/N LIM-2	EACH	2
MODULE, RECTIFIER P/N S99400-498	EACH	1
POWER SUPPLY	EACH	1
CONTROLLER, HYDRAULIC P/N 410-5085-0	EACH	1
CHASSIS, CONTROL MRB-XL	EACH	2
CHASSIS, CONTROL MRB	EACH	1
CHASSIS, CONTROL MRB-XL	EACH	1
FUSE, 40A 700V A70P40-4	EACH	1
FUSE, 40A 500V A50P40-4	EACH	1
FUSE, 30A 600V TRS-30R	EACH	1
FUSE, 40A 600V FLSR-40-ID	EACH	1
FUSE, 2.5A 600V FLSR-2 1/2	EACH	1
FUSE, 0.5A 250V TRM-1/2	EACH	1
FUSE, 1A 250V TRM-1	EACH	1
FUSE, 1A 250V TRM-1	EACH	1
FUSE, 5A 250V TRM-5	EACH	1
FUSE, 10A 250V FLM-10	EACH	1
FUSE, 2A 250V MIN-2	EACH	5
FUSE,5.6A 600V ATQR-5 6/10	EACH	1
BREAKER, CIRCUIT 10A 300V 1P A-B	EACH	2
BREAKER,CIRCUIT 15A 300V 1P A-B 1492-CB1G150 SER. B P/N 1492-	EACH	5
CAPACITOR, ASDS P/N S99400-32	EACH	1
CAPACITOR, 15 MF 550VAC ASDS P/N S99400-33	EACH	1
ROLLER, GUIDE 3" DIA.	EACH	8
NUT,	EACH	3
TROLLEY, FESTOON	EACH	4
DIAPHRAGM, REPL PTFE FOR 1" RESISTOFLEX	EACH	1
NIPPLE, PIPE 1/2" X 4" LONG 316 SS SCHEDULE 80 PLAIN ENDS (NO THREADS)	EACH	4
NIPPLE, MALE, 3/8" NPT S/S QUICK CONNECT PARKER P/N SST-N3M	EACH	5
FITTING, 3/4" 90DEG ELBOW JIC 37DEG	EACH	2

FITTING, HYD 3/8"F JIC 37DEG 43 SERIES	EA	5
SOLENOID, AIR P/N L20-03A-B-W-AA	EACH	1
SOLENOID, HYDRAULIC 120 VAC P/N 327-0137-0	EACH	1
VALVE, DELAY 3-WAY	EACH	3
VALVE, BRUSH 1" DIA SS P/N A-2261-3	EACH	4
TRANSMITTER, TT111 PF 1AG	EACH	2
SWITCH, FLOW ET-F/MTK-DWS-100H	EACH	1
WHEEL ASSEMBLY P/N 6381-0000	EACH	2
FLANGE, 1", 150#, RAISED FACE	EA	2
SOCKOLET, 3000# 1 X 36-12 A105	EACH	2
CABLE, 10BASE PLENEUM 77FT P/N LCN150-077	EACH	1
GLASS, REFLECTOR P/N CR-50	EACH	1
GLASS, REFLECTOR P/N CR-50	EACH	1
SWITCH, LIMIT, ALLEN BRADLEY.	EA	2
STAND, TELEVISION	EACH	1
BOOKCASE TALL 5 SHELF	EACH	3
CHAIR, BLACK/GREY	EACH	12
TABLE, OAK CONFERENCE, 3 X 5 ON WHEELS	EACH	4
CREDENZA, OAK TOP	EACH	1
BOOKCASE, 4 SHELF	EACH	4
CHAIR, FOLDING BROWN	EACH	24
OAK LIT RACK DISPLAY W/PLEXIGLASS	EACH	3
PODIUM, OAK	EACH	1
TABLE, ROUND CHROME, W/ OAK TOP	EACH	1
CABINET, SUPPLY, GREY W/ DOOR	EACH	2
TABLE, CONFERENCE, 8 X 3.5 OAK	EACH	1
TABLE, 4 X 2 OAK TABLE	EACH	1
TABLE, 6 FT. FOLDING	EACH	3
CABINET, OAK TV DISPLAY W/DRS	EACH	1
CABINET, OAK VRT FILE 2-DRAWER PUTTY	EACH	1
CABINET, FILE HORIZONTAL, 4 DRAWER, GRAY	EACH	2
COFFEE POT, 100 CUP	EACH	1
PODIUM, OAK, WHLS, SHORT	EACH	1
TABLE, PORTABLE PROJECTOR	EACH	1
RETRACTABLE BANNER DISP	EACH	1
STAND, PROJECTOR	EACH	1
EXHIBIT PANEL	EACH	2
COFFEE POT	EACH	1
CART, FOLDING BLACK	EACH	1
CART, PROJECTOR	EACH	1
STAPLER, BATTERY POWER	EACH	1
CREDENDZA	EACH	1
CART, FOLDING LUGGAGE	EACH	1
FILE, OVERHEAD 48IN WIDTH	EACH	2
FILE, PEDESTAL FIXED WITH LOCK	EACH	1
DESK, CORNER, WRAP AROUND	EACH	1
BOOKCASE, 3-SHELF, 3 X 36	EACH	2

FILE, PEDESTAL, 24 X 48	EACH	1
DESK, CORNER WRAP AROUND	EACH	1
BOARD, MARKER 4 X 3	EACH	1
TABLE, ROUND	EACH	1
CABINET, FILING OVERHEAD WALL MOUNT	EACH	1
CABINET, OVERHEAD	EACH	1
DESK, CORNER WRAP AROUND	EACH	1
DESK, PEDESTAL	EACH	1
LAMP, DESK PORTABLE, BLACK	EACH	1
FILE, 5 DRAWER, LATERAL, HON	EACH	8
FILE, OVERHEAD ATTACHMENT, HON	EACH	5
BOOKCASE, OAK 4 SHELF	EACH	1
TABLE, COMPUTER, GREY W/CREDENZA	EACH	1
TABLE, COMPUTER, GRAY	EACH	1
DESK, 5-DWR, OAK TOP	EACH	2
DESK, L-SHAPED, OAK W/CREDENZA	EACH	1
OAK TV DSPLY CABNT ON WHEELS	EACH	1
CABINET, FILE HORIZONTAL, 4-DWR, GRAY	EACH	1
CABINET, FILE VERTICAL, 4-DWR	EACH	1
HEATER, FLOOR UPRIGHT	EACH	1
HEATER, CONVECTION, 25964, BOSTON	EACH	1
BRICK, FIRE K-20 IFB 9X4.5X2.5 STRAIGHT	PC	AA